

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]



Benefit Policy

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]		
Group Plans (**)	Effective Date*	Last Update:
Commercial Lines of Business	Effective date, July 2, 2012, or upon renewal	September 11, 2024

Description

This policy incorporates the Affordable Care Act (ACA) of the health reform legislation, adopting United States (US) Preventive Services Task Force (USPSTF) recommendations; the US Department of Health and Human Services, Health Resources and Services Administration (HRSA) recommendations for infants, children, adolescents and women; immunizations recommended by the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC), Bright Future for Infants and Children, and additional requirements mandated by the state of California***.

The USPSTF has been conducting rigorous reviews of research evidence to create evidence-based recommendations for preventive services since 1984. The recommendations are intended to improve health outcomes from heart disease, cancer, infectious diseases, and other conditions and events that impact the health of children, adolescents, adults, and pregnant women. The USPSTF recommendations are routinely used to provide high-quality and appropriate preventive care. All recommendations are linked to a letter grade that reflects the magnitude of net benefit and the strength and certainty of the evidence supporting the provision of a specific preventive service. Aligning with the ACA of the Health Care Reform legislation, the recommendations with a grade of A and B (recommended) have been adopted by Blue Shield of California (BSC). Additional evidence-based preventive care services and screenings provided for in the comprehensive guidelines supported by HRSA and immunizations recommended by ACIP have been adopted by BSC.

Policy

These preventive care services, when criteria are met and the primary reason for the visit is preventive care, will be provided under the preventive care services benefits with no cost-sharing to the member, when applicable procedure code and diagnosis codes are billed. When the primary reason for a visit is non-preventive, however, the entire visit will be provided under the medical benefit of the member’s plan, and cost sharing may apply per member benefits.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Annual Health Appraisal - [USPSTF (2012) & HRSA (2016)]

Annual Health Appraisal is a covered service for all patients:

- Annual preventive care visits for adult, well woman and adolescents
- Scheduled well baby visits

Annual health appraisal visits are a covered service across the lifetime of the individual.

The primary purpose of these visits should be the delivery and coordination of recommended preventive services as determined by age and risk factors.

Applicable ICD-10 diagnoses codes – Z00.00, Z00.01, Z00.110, Z00.111, Z00.121, Z00.129, Z00.3, Z01.411, Z01.419, Z01.42, Z13.1, Z13.21, Z13.228, Z13.29, Z13.30, Z13.39, Z13.41, Z13.42, Z32.00, Z32.01, Z76.1, Z76.2, Z82.2, Z91.81

Applicable procedure codes – 81000, 81001, 81002, 81003, 99381, 99382, 99383, 99384, 99385, 99386, 99387, 99391, 99392, 99393, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, G0101, S0302, S0610, S0612, S0613

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0300, 0307, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

Adverse Childhood Experiences Screening (ACE Screening)– SB 428 (2022)

Adverse Childhood Experience is defined as an event, series of events or set of circumstances that is experienced by an individual as physically or emotionally harmful or threatening and that has lasting adverse effects on the individuals functioning and physical, social, or spiritual well-being. ACE Screenings and re-screenings are covered for the following individuals:

- Once a year for individuals 21 years of age or younger
- Once in a lifetime for individuals 22 years of age and older

Applicable ICD-10 diagnosis codes – Z02.84, Z55.6, Z59.10, Z59.11, Z59.12, Z59.19, Z59.41, Z59.48, Z59.811, Z59.812, Z59.819, Z62.21, Z62.22, Z62.810, Z62.811, Z62.812, Z62.813, Z62.814, Z62.815, Z62.819, Z62.820, Z62.821, Z62.822, Z62.823, Z62.831, Z62.832, Z62.833, Z62.892, Z63.0, Z63.31, Z63.32, Z63.4, Z63.5, Z63.71, Z63.72, Z63.79, Z63.8, Z63.9, Z64.0, Z64.1, Z65.0, Z65.4, Z65.5, Z69.010, Z69.020, Z69.11, Z69.81, Z72.51, Z72.52, Z72.53, Z81.1, Z81.3, Z81.4, Z81.8, Z86.51, Z86.59, Z91.410, Z91.411, Z91.412, Z91.419, Z91.42, Z91.49, Z91.51, Z91.52, Z91.85

Applicable procedure codes - G9919, G9920

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Abdominal Aortic Aneurysm: Screening - [USPSTF (2014)]

Screening for abdominal aortic aneurysm (AAA) is a covered service for patients who meet all the following criteria:

- 65 to 75 years of age
- History of smoking
- One-time screening
- Performed by ultrasonography

Applicable ICD-10 diagnosis codes – F17.200, F17.201, F17.203, F17.208, F17.209, F17.210, F17.211, F17.213, F17.218, F17.219, F17.290, F17.291, F17.293, F17.298, F17.299, Z87.891

Applicable procedure codes - 76706

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code– 0402, 0770

Adolescent Alcohol Use: Screening - (Bright Futures), Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions - [USPSTF (2013) (2018)], Unhealthy Drug Use: Screening [USPSTF (2020)], Adolescent Substance Use: Screening - (Bright Futures)

Criteria for Screening for Adolescent Alcohol Use:

Screening for alcohol use in primary care for all adolescents 10 to 21 years of age.

Screenings should be performed as part of an age-appropriate comprehensive history and/or when the following risk factors have been identified:

Risk factors are as follows:

- A family history of substance use or mood disorders.
- Poor parental supervision and household disruption are associated with involvement in substance use and other risky behaviors.
- Low academic achievement and/or academic aspirations.
- Untreated attention-deficit disorder (ADD) and attention-deficit/hyperactivity disorder (ADHD)
- Perceived peer acceptance of substance use, and substance use in peers.

Criteria for Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults:

Screening for unhealthy alcohol use in primary care settings in adults, including pregnant women; and providing persons engaging in risky or hazardous drinking with brief behavioral counseling interventions to reduce unhealthy alcohol use.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Screening and behavioral counseling interventions in primary care to reduce alcohol misuse are a covered service for:

- All adults and pregnant individuals

Applicable ICD-10 diagnosis codes for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults - F10.10, F10.120, F10.129, F10.90, F10.929, Z71.41, O99.310, O99.311, O99.312, O99.313

Applicable procedure codes for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults 99408, 99409, G0396, G0397, G2011, G0442 and G0443

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code for Screening for Adolescent Alcohol Use & Screening and Behavioral Counseling Interventions for Unhealthy Alcohol Use in Adolescents and Adults – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

Criteria for Screening for Unhealthy Drug Use:

Screening for unhealthy drug use should be by asking questions, in children, adolescents and adults ages 10 years or older, including pregnant or postpartum persons.

Screening does not apply to those adolescents or adults who have a current diagnosed drug use disorder or are currently undergoing or have been referred for drug use treatment.

“Unhealthy drug use” is defined as the use of substances (not including alcohol or tobacco products) that are illegally obtained or the nonmedical use of prescription psychoactive medication: that is, use of medications for reasons, for duration, in amounts, or with frequency other than prescribed or by persons other than the prescribed individual.

The screening is a covered service for patients who meet any of the following:

- Individuals ages 10 and older
- Pregnant and postpartum persons

Criteria for Screening for Adolescent Substance Use:

Screening for substance use in primary care for all adolescents 12 to 21 years of age.

Screenings should be performed as part of an age-appropriate comprehensive history and/or when the following risk factors have been identified:

Risk factors are as follows:

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

- A family history of substance use or mood disorders.
- Poor parental supervision and household disruption are associated with involvement in substance use and other risky behaviors.
- Low academic achievement and/or academic aspirations.
- Untreated attention-deficit disorder (ADD) and attention-deficit/hyperactivity disorder (ADHD)
- Perceived peer acceptance of substance use, and substance use in peers

Applicable ICD-10 diagnosis codes for Unhealthy Drug Use and Screening for Adolescent Substance Use – Z00.00, Z00.01, Z01.411, Z01.419, Z71.51, O99.320, O99.321, O99.322, O99.323

Applicable procedure codes for Unhealthy Drug Use and Screening for Adolescent Substance Use– 99408, 99409, G0396, G0397

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code for Unhealthy Drug Use and Screening for Adolescent Substance Use– 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

(Screening for Adolescent Alcohol, Unhealthy Alcohol Use in Adolescents and Adults, Unhealthy Drug Use and Adolescents Substance use can also be included during the Annual Health Appraisal)

Alpha-Fetoprotein – [SB75] – Retired (September 2022)

Alpha-fetoprotein testing is a screening test which helps to identify pregnant women who are at increased risk of having a baby with a birth defect.

Alpha-fetoprotein testing is a covered service for patients who meet the following criteria:

- All pregnant individuals between 15- and 20-weeks' gestation—once per pregnancy

Alpha-Fetoprotein has been retired. Please refer to the Prenatal Screening Program.

Prenatal Screening Program – [CA Health & Safety Code 1367.54 (2022)]

Prenatal screening which helps to identify pregnant women who are at increased risk of having a baby with a birth defect are covered benefit for:

- All pregnant individuals between 10- and 21-weeks' gestation—once per pregnancy

Applicable ICD-10 diagnosis codes – Z36.0, Z36.1, Z36.2, Z36.3, Z36.4, Z36.5, Z36.81, Z36.82, Z36.83, Z36.84, Z36.85, Z36.86, Z36.87, Z36.88, Z36.89, Z36.8A, Z36.9

Applicable procedure codes – 81420, 82105, 0327U

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0309, 0310, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Anemia - [Bright Futures]

Screening, annually, for iron deficiency anemia is a covered service for patients who meet the following criteria:

- Ages newborn to 19 years of age

Applicable ICD-10 diagnosis codes – Z00.110, Z00.111, Z00.121, Z00.129, Z13.0, Z76.2

Applicable procedure codes – 85018, 36415, 36416 (preventive benefits apply to 36415 or 36416 when 36415 or 36416 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Aspirin Use to Prevent Preeclampsia and Related Morbidity and Mortality: Preventive Medication - [USPSTF (2017) (2021)]

The services below are considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

- Pregnant Women Who are at High Risk for Preeclampsia---Potential benefit with the use of low-dose aspirin (81 mg/d) as preventive medication after 12 weeks of gestation in women who are at high risk for preeclampsia

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

(This is a pharmacy benefit)

Asymptomatic Bacteriuria in Adults- [USPSTF (2008) (2019)]

Screening for asymptomatic bacteriuria, through urine culture, is a covered service for patients who meet either of the following criteria:

- Pregnant individuals at 12 to 16 weeks' gestation
- Pregnant individuals at their first prenatal visit, if after 16 weeks' gestation
- Pregnant adolescents ages 10 years and older

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis code (see list below)

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable procedure codes – 81007, 87081, 87084, 87086, 87088

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0306, 0307, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Breast Cancer Screening: Mammogram - [USPSTF (2009) & HRSA (2016)]

Screening for breast cancer is a covered service for patients who meet all the following criteria:

- 40 years and older
- Performed every 1 to 2 years

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z12.31, Z12.39, Z85.3, Z80.3

Applicable procedure codes - 77067, 77063

Please note that 77063 is an add-on code

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0403, 0770

Breastfeeding - [USPSTF (2016) & HRSA (2016) (2022)]

USPSTF recommends providing interventions during pregnancy and after birth to support breastfeeding. Interventions include breastfeeding support during pregnancy and through the early life of the child. Clinicians can support women directly or through referral, to help women make an informed choice about breastfeeding and breastfeeding benefits.

HRSA recommends comprehensive lactation support services (including consultation, counseling, education by clinicians and peer support services, and breastfeeding equipment and supplies) during the antenatal, perinatal, and the postpartum period to ensure the successful initiation and maintenance of breastfeeding.

Primary care interventions to promote breastfeeding are a covered service for patients who meet either of the following criteria:

- During pregnancy
- After birth

Please Note--Lactation support services are considered inclusive in the maternal care visits and annual health appraisals, and therefore not separately reimbursable.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable counseling codes – 99401, 99402, 99403, 99404 with diagnosis code of Z39.1 with the following revenue codes-0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0761, 0769, 0770, 0780

Applicable procedure codes –A4281, A4282, A4283, A4284, A4285, A4286, E0602*, E0603*, K1005

Applicable revenue codes for Breast Pump Rental/Purchase when billed with an applicable CPT/HCPCS Procedure code – 0270, 0271, 0272, 0290, 0294, 0942

- E0602 & E0603 allowed as purchase only.
- HCPCS Code E0604 is a hospital grade breast pump and is not covered.

BRCA-Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - [USPSTF (2013) (2019)]

USPSTF recommends screening women with a personal or family history of breast, ovarian, tubal, or peritoneal cancer or who have an ancestry associated with breast cancer susceptibility 1 and 2 (BRCA ½) gene mutations with an appropriate brief familial risk assessment tool. Women with positive screening results should receive genetic counseling and, if indicated after counseling, genetic testing.

This service is included as part of the Preventive Benefit, per ACA, with no cost-sharing by members, if medically necessary – please see BSC medical policy Genetic Testing for Hereditary Breast and/or Ovarian Cancer):

- Personal or family history associated with an increased risk for deleterious mutations in BRCA1 or BRCA2 genes

Applicable ICD-10 diagnosis codes – Z80.3, Z80.41, Z80.49, Z85.3, Z85.43, Z85.44, Z15.01, Z15.02, Z15.04, Z71.83, Z78.0, Z86.000, Z86.001

Applicable procedure codes – 36415, 81162, 81163, 81164, 81165, 81166, 81167, 81211, 81212, 81215, 81216, 81217, 81307, 81308, 81432, 81433, 81479, 96040, S0265, 0102U, 0103U, 0129U, 0131U, 0132U, 0135U, 0138U, 0172U, 99401, 99402, 99403, 99404 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0310, 0319, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0940, 0942, 0949

(BRCA assessment, genetic counseling and testing can also be included during the Annual Health Appraisal)

Breast Cancer: Medications for Risk Reduction - [USPSTF (2013) (2019)]

The USPSTF recommends that clinicians offer to prescribe risk-reducing medications, such as tamoxifen, raloxifene, or aromatase inhibitors, to women who are at increased risk for

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

breast cancer and at low risk for adverse medication effects, also includes asymptomatic women 35 years and older, including women with previous benign breast lesions on biopsy (such as atypical ductal or lobular hyperplasia and lobular carcinoma in situ) to all individuals who meet all of the following criteria:

- At high risk for breast cancer
- At low risk for adverse medication effects

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z15.01, Z80.3, Z86.000, D24.1, D24.2, D24.9, N60.01, N60.02, N60.09, N60.11, N60.12, N60.19, N60.21, N60.22, N60.29, N90.31, N60.32, N60.39, N60.41, N60.42, N60.49, N60.81, N60.82, N60.89, N60.91, N60.92, N60.99

Applicable procedure codes – 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769 0770, 0780

(Screening and discussion can also be included during the Annual Health Appraisal)

Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening - [USPSTF (2012) (2018), HRSA (2016) and Bright Futures]

Screening for cervical cancer is a covered service for patients who meet all the following criteria:

- Women aged 12 to 29 years.
- Individuals who have a cervix
- Within three years of onset of sexual activity Age 21 if not sexually active by age 18 years. Service covered-once every 3 years with cytology alone.

Screening for cervical cancer is a covered service for patients who meet at least one of the following criteria:

- Women aged 30 to 65 years.
- Every 3 years with cytology alone
- Every 3 years with high-risk HPV testing alone
- Every 3 years with co-testing (high-risk HPV testing with cytology)

*Please note-- Human papillomavirus (HPV) is a covered service for patients who are age 30 years and older, in conjunction with cervical cancer screening (Pap smear), covered once every 3 years.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, Z11.51, Z11.59, Z11.8, Z11.9, Z12.4, Z12.72, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z72.51, Z72.52, Z72.53, Z71.7, Z72.89, Z77.21, Z77.9, Z91.89, Z86.001

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Cervical Cancer Screening applicable procedure codes – 88141, 88142, 88143, 88147, 88148, 88150, 88152, 88153, 88164, 88165, 88166, 88167, 88174, 88175, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148, G0476, Q0091, P3000, P3001

*Screening for human papillomavirus (HPV) is a covered service for patients who meet all the following criteria:

- Sexually active
- Age 30 years of age and older
- And in conjunction with cervical cancer screening (Pap smear)

* HPV screening with cervical cancer screening is allowed once every 3 years.

HPV applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.3, Z11.4, Z11.51, Z11.59, Z11.8, Z11.9, Z12.4, Z12.72, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.51, Z72.52, Z72.53, Z72.89, Z77.21, Z77.9, Z91.89, Z86.001

HPV screening applicable procedure codes – 87623, 87624, 87625, G0476, 0500T

Applicable revenue codes for Cervical Cancer and HPV Screening when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0306, 0309, 0310, 0311, 0319, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0923

Chlamydia (STD) Infection and Gonorrhea Screening- [SB 306 (2023), USPSTF (2014) (2021) Bright Futures]

Screening for Chlamydia infection and/or gonorrhea is a covered service for patients who meet any of the following criteria:

Sexually active individuals aged 10 years and older.

Sexually active asymptomatic individuals aged 24 years and older with any of the following risk factors:

- History of Chlamydia, Gonorrhea, or other sexually transmitted infection
- New or multiple sexual partners
- Inconsistent condom use
- Commercial sex worker
- Drug use

Pregnant individuals in a high-risk group:

- At first prenatal visit
- Second screening during the third trimester for those who are at continued risk or who acquire a new risk factor.

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.51, Z72.52, Z72.53, Z72.89, Z77.21, Z77.9, and pregnancy diagnosis code (see list below)

Applicable procedure codes – 86631, 86632, 87110, 87205, 87210, 87270, 87320, 87490, 87491, 87492, 87590, 87591, 87563, 87592, 87660, 87661, 87800, 87808, 87810, 87850

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0310, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Colorectal Cancer - [USPSTF (2016) (2021) (2022) and State Mandate AB 342]

Screening for colorectal cancer is a covered service for patients who meet either of the following criteria:

- Adults 45 to 75 years of age
- Beginning age and screening intervals can be reduced for patients at high risk for colorectal cancer any of the following procedures and intervals:
 - Fecal occult blood performed annually.
 - Screening barium enemas every 5 years
 - Sigmoidoscopy performed every 5 years.
 - Colonoscopy performed every 10 years
 - Multi-targeted stool DNA testing every 3 years.

“High Risk for developing colorectal cancer” is defined in the Code of Federal Regulations (CFR) at 42 CFR 410.37(a)(3)

Applicable ICD-10 diagnosis codes for non-high-risk screening – Z12.11, Z12.12

**High Risk ICD-10 diagnosis codes:

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
Z80.0	Z83.79	Z85.030	Z85.038	Z85.060	Z85.068	Z86.010	Z85.048	K50.00	K50.10
K50.80	K50.90	K51.00	K51.20	K51.30	K51.40	K51.50	K51.80	K51.90	C18.0
C18.2	C18.3	C18.4	C18.5	C18.6	C18.7	C18.8	C19	C20	C21.0
C21.1	C21.2	C21.8	C49.A3	C49.A4	C49.A5	C7A.021	C7A.022	C7A.023	C7A.024
C7A.025	C7A.026	C78.5	D01.0	D01.1	D01.2	D01.3	D12.0	D12.1	D12.2
D12.3	D12.4	D12.5	D12.6	D12.7	D12.8	D12.9	D13.91	D13.99	D3A.021
D3A.022	D3A.023	D3A.024	D3A.025	D3A.026	D3A.029	D37.1	D37.2	D37.3	D37.4
D37.5	D37.9	D49.0	K50.011	K50.012	K50.013	K50.014	K50.018	K50.019	K50.111

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

K50.112	K50.113	K50.114	K50.118	K50.119	K50.811	K50.812	K50.813	K50.814	K50.818
K50.819	K50.911	K50.912	K50.913	K50.914	K50.918	K50.919	K51.011	K51.012	K51.013
K51.014	K51.018	K51.019	K51.211	K51.212	K51.213	K51.214	K51.218	K51.219	K51.311
K51.312	K51.313	K51.314	K51.318	K51.319	K51.411	K51.412	K51.413	K51.414	K51.418
K51.419	K51.511	K51.512	K51.513	K51.514	K51.518	K51.519	K51.811	K51.812	K51.813
K51.814	K51.818	K51.819	K51.911	K51.912	K51.913	K51.914	K51.918	K51.919	K52.0
K52.1	K52.89	K52.9	K57.20	K57.21	K57.30	K57.31	K57.32	K57.33	K57.40
K57.41	K57.50	K57.51	K57.52	K57.53	K57.80	K57.81	K57.90	K57.91	K57.92
K57.93	K62.0	K62.1	K62.6	K63.3	K63.5	Z08	Z09	Z15.09	Z83.710
Z83.718	Z83.719	Z85.00	Z85.05	Z86.004	Z87.19				

Applicable procedure codes – 00811**, 00812**, 00813**, 45330, 45331, 45332, 45333, 45335##, 45338, 45378, 45380, 45381, 45384, 45385, 74280, 81528, 82270, 82274, 88305, 99152, 99153, G0104, G0105, G0106, G0120, G0121, G0328, G0500, J0300, J2175, J2180, J2250, J2251, J2704, J3010++, J3360, S0285

00811**, 00812**, 00813* (Optional Modifier 33) is only applicable when Medical Criteria has been met.

45335## is only applicable when Medical Criteria has been met. Please see Medical Policy for Injectable Bulking Agents for the Treatment of Urinary and Fecal Incontinence.

J3010++ is only applicable when Medical Criteria has been met.

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0250, 0258, 0300, 0301, 0305, 0309, 0310, 0312, 0319, 0320, 0329, 0360, 0361, 0369, 0370, 0371, 0372, 0379, 0490, 0499, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0523, 0529, 0636, 0710, 0750, 0760, 0761, 0769, 0770, 0780, 0960, 0963, 0964, 0975, 0982, 0983

Modifier 33 or PT have been created to append to services furnished in connection with or in relation to a colorectal cancer screening test that starts as preventive and becomes diagnostic. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly if performed on the same date of service and in the same encounter.

The 33 modifier will be recognized and accepted with the use of the following codes: 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 82274, G0500.

The PT modifier will be recognized and accepted with the use of the following codes: 00811, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 88305

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Contraception - [HRSA (2016) (2022)]

The full range of female contraceptives approved, granted, or cleared by the Food and Drug Administration, which include but not limited to hormonal methods such as birth control and vaginal rings, implanted devices such as intrauterine devices (IUD), barrier methods such as diaphragms and sponges, emergency contraception, female sterilization procedures, patient education and counseling related to birth control.

Covered benefits apply to:

- All female individuals of reproductive capacity (Adolescents and adult) Contraceptive care should include contraceptive counseling, screening, education, provision of contraceptives (including in the immediate postpartum period), initiation of contraceptive use, and follow-up care (e.g., management, evaluation, and changes, including the removal, continuation, and discontinuation of contraceptives).

Applicable ICD-10 diagnosis codes – Z30.011, Z30.012, Z30.013, Z30.014, Z30.015, Z30.016, Z30.017, Z30.018, Z30.019, Z30.02, Z30.09, Z30.2, Z30.40, Z30.41, Z30.42, Z30.430, Z30.431, Z30.432, Z30.433, Z30.44, Z30.45, Z30.46, Z30.49, Z30.8, Z30.9, Z92.0, Z98.51, Z97.5, T83.31XA, T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS

Applicable CPT/HCPCS codes: A4261, A4264, A4266, A4267, A4268, A4269, J1050, J3490, J7294, J7295, J7296, J7297, J7298, J7300, J7301, J7304, J7306, J7307, S0190, S0191, S4981, S4989, S4993, 00851, 00940, 00952, 0567T, 0568T, 11976, 11981, 11982, 11983, 57170, 58300, 58301, 58340, 58565, 58600, 58605, 58611, 58615, 58661, 58670, 58671, 58700, 74740, 81025, 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412

*Please note--Emergency contraception is allowed when the emergency drug (Ulipristal acetate)-CPT code S4993 is administered in an office or outpatient setting

96372 is allowable with all the diagnosis listed when billed with J1050.

96372 is allowable when billed with J3490 and diagnosis code Z30.012

Applicable ICD-10 procedure codes – 0U570ZZ, 0U573ZZ, 0U574ZZ, 0U577ZZ, 0U578ZZ, 0UL70CZ, 0UL70DZ, 0UL70ZZ, 0UL73CZ, 0UL73DZ, 0UL73ZZ, 0UL74CZ, 0UL74DZ, 0UL74ZZ, 0UL77DZ, 0UL77ZZ, 0UL78DZ, 0UL78ZZ

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0250, 0270, 0272, 0278, 0279, 0300, 0307, 0320, 0329, 0360, 0361, 0369, 0370, 0371, 0372, 0379, 0450, 0451, 0452, 0456, 0459, 0490, 0499, 0500, 0509, 0510, 0511, 0512, 0513, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0522, 0523, 0526, 0529, 0636, 0760, 0761, 0762, 0769, 0770, 0780

*Revenue codes 0450, 0451, 0452, 0456, 0459, 0516, and 0526 are only allowed for removal of contraception devices or implants.

(Contraception counseling can also be included during the Annual Health Appraisal)

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

COVID-19 Vaccine [SB 510 [(2020) (2021) (2022)]

United States Preventive Services Task Force (USPSTF) and Center for Disease Control (CDC) recommends individuals be vaccinated to mitigate the spread and prevent COVID19. FDA has approved and recommends vaccines be given as a covered service for all patients who meet the criteria as established by the Center for Disease Control (CDC), the Advisory Committee on Immunization Practices (ACIP), utilizing standard industry coding.

Before vaccination, providers should counsel COVID-19 vaccine recipients, parents, or guardians about possible post-vaccination reactions. Vaccines and immunization counselling will be covered at no cost under the Preventive Benefit (see Appendix for codes)

- All adults
- Pregnant women
- Infants, young children, and adolescents

Depression and Suicide Risk in Adults: Screening - [USPSTF (2016) (2023) Bright Futures (2022)], Depression and Suicide Risk in Children and Adolescents: Screening – [USPSTF (2016) (2022) Bright Futures (2022)], Screening for Anxiety Disorders in Children, Adolescents and Adults – [HRSA (2020) USPSTF (2022) (2023) Bright Futures (2022)]

Criteria for Screening for Depression and Suicide Risk in Adults:

Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk.

Screening is a covered service for:

- All adults including pregnant and postpartum women.
- To achieve the benefit of depression screening and reduce disparities in depression- associated morbidity, it is important that persons who screen positive are evaluated further for diagnosis and, if appropriate, are provided or referred for evidence-based care.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Criteria for Screening for Depression and Suicide Risk in Children and Adolescents:

Screening for major depressive disorder (MDD) is a covered service for children and adolescents who do not have a diagnosed mental health condition or are not showing recognized signs or symptoms of depression or suicide:

- All children and adolescents (12 years to 21 years of age)

Criteria for Screening for Anxiety in Children, Adolescents and Adults:

The Women's Preventive Services Initiative recommends screening for anxiety in adolescent and adult women, including those who are pregnant or postpartum. Optimal screening intervals are unknown and clinical judgement should be used to determine screening frequency. Given the high prevalence of anxiety disorders, lack of recognition in clinical practice, and multiple problems associated with untreated anxiety, clinicians should consider screening women who have not been recently screened.

The USPSTF recommends screening for anxiety disorders in adults, including pregnant and postpartum, children and adolescents who do not have a diagnosed mental health disorder or are not showing recognized signs and symptoms of anxiety. Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified.

Screening instruments may be utilized for detecting anxiety. The optimal interval is unknown. Repeated screening may be most productive in adolescents with risk factors for anxiety. Opportunistic screening may be appropriate for adolescents, who may have infrequent health care visits.

Clinicians may consider screening for anxiety in conjunction with screening for depression, which is recommended by the USPSTF, because of the frequent co-occurrence of anxiety and depressive disorders.

This is a covered service for:

- Children and adolescents, age 8 to 21 years
- Adults, pregnant and nonpregnant women ages 10 and older

Applicable ICD-10 diagnosis codes – Z13.30, Z13.31, Z13.32, Z13.39, and Pregnancy diagnosis code (see list below)

Applicable procedure codes –96127, 96160, 96161, G0444, S3005

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0760, 0761, 0769, 0780, 0940, 0949

(Depression, Suicide and Anxiety screening can also be included during the Annual Health Appraisal)

Page 15 of 75

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Perinatal Depression: Preventive Interventions – [USPSTF (2019)]

Clinicians should provide or refer pregnancy and postpartum persons who are at increased risk of perinatal depression to counseling interventions is a covered service for:

- Pregnant women
- Persons who are less than 1 year postpartum
- Does not have a current diagnosis of depression.
- Increased risk of developing depression

Applicable ICD-10 diagnosis codes – Z13.32, Z34.00, Z34.01, Z34.02, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z39.2, Z86.59

Applicable procedure codes – 99401, 99402, 99403, 99404, 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780, 0920, 0940, 0949

Developmental/Autism and Behavioral/Social/Emotional Screening - [Bright Futures (2019) (2022)]

Screening for developmental/autism is a covered service for asymptomatic patients age 0 to 2.5 years of age/30 months of age.

Clinicians should provide developmental surveillance and screening using standardized screening or assessment instruments.

- Assessment for children age 0 and 2.5 years of age/30 months of age
- Screening should be performed at the 9-month visit
- Screening should be performed at 18-month visit (includes Autism Spectrum Disorder screening)
- Screening should be performed at 2.5 year / 30 months of age visit (includes Autism Spectrum Disorder screening)

Following the 2½-year visit, administer a validated, standardized, and accurate screening test at all annual health supervision visits based on developmental surveillance and clinical judgment. The tests should be broad in scope, meaning that they sample all developmental domains.

Clinicians should provide behavioral/social/emotional screening using a standardized screening or assessment instrument. These screenings or assessments should focus on key symptoms related to behavioral, social, or emotional conditions.

Behavioral/social/emotional screenings are a covered service for asymptomatic patients-age 0 to 21 years of age.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable procedure code for Behavioral/Social/Emotional Screening: 96127

Applicable ICD 10 diagnosis codes for Behavioral/Social/Emotional Screening: Z13.41 and Z13.42

Applicable ICD 10 diagnosis code for Autism and Developmental Screening: Z00.121, Z00.129, Z13.39, Z13.40, Z13.41, Z13.42 and Z13.49

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0770, 0780

(Developmental/Autism and behavioral/social/emotional screening can also be performed during the Annual Health Appraisal)

Fall Prevention in Community-Dwelling Older Adults: Interventions - [USPSTF (2012, 2018)]

Preventive care visits to discuss exercise interventions to prevent falls is a covered service for patients who meet all the following criteria (OTC medications are not a covered benefit):

- Community-dwelling adults (excluding institutionalized, facility-based adults, such as those in Skilled Nursing Facilities)
- Aged 65 years or older.
- At increased risk for fall

Applicable ICD-10 diagnosis codes – Z91.81

Applicable procedure codes – 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0159, S8990, S9131

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0420, 0421, 0422, 0424, 0429, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0977

Folic Acid for the Prevention of Neural Tube Defects: Preventive Medication-[USPSTF (2009) (2017)]

Discussion of the use of 0.4 to 0.8 mg daily of folic acid is a covered benefit for all patients who meet the following criteria (OTC medications are not a covered benefit):

- Planning or capable of pregnancy

These services are considered inclusive in the preventive care visit, and therefore not separately Reimbursable.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Screening For Diabetes in Pregnancy- [USPSTF (2014) & HRSA (2016) (2019) (2021) (2023)]

Screening pregnant women for gestational diabetes is a covered service for asymptomatic pregnant individuals who meet any of the following criteria:

- 2 screenings per pregnancy between 24-28 weeks of gestation (or later in persons who enter prenatal care after 28 weeks of gestation)
- At the first prenatal visit for women identified to be at high risk for diabetes
- This applies to all individuals, age 12 years and older.

Applicable ICD-10 diagnosis codes – Z86.32, Pregnancy diagnosis code (see list below)

Applicable procedure codes – 82947, 82948, 82950, 82951, 82952, 83036, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0309, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Gonorrhea (STD) - [USPSTF (2014)]

Gonorrhea (STD) has been combined with the Chlamydia (STD) Infection category, as of September 2019.

Please refer to the Chlamydia category for criteria.

Healthy Diet and Physical Activity for Cardiovascular Disease Prevention in Adults with Cardiovascular Risk Factors/Abnormal Blood Glucose Screening/Obesity: Behavioral Counseling - [USPSTF (2014) (2020)]

Offering or referring adults aged 18 years and older, with cardiovascular disease risk factors (known hypertension or elevated blood pressure, elevated lipid levels or dyslipidemia, and mixed or multiple risk factors (e.g., metabolic syndrome or estimated 10-year CVD risk of $\geq 7.5\%$) to behavioral counseling interventions to promote a healthful diet and physical activity for CVD prevention.

Applicable ICD-10 diagnosis codes- E78.00, E78.01, E78.1, E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.81, E88.810, E88.811, E88.818, E88.819, E88.89, E88.9, I10, I15.0, I15.1, I15.2, I15.8, I15.9, R03.0

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412, 97802, 97803, 97804, G0446

**97802, 97803, 97804-only allowable with the following DX codes-E78.2, E78.3, E78.41, E78.49, E78.5, E78.6, E88.81, E88.810, E88.811, E88.818, E88.819

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

(Healthy Diet and Physical Activity for CVD Prevention in Adults with Cardiovascular Risk Factors: Behavioral Counseling can also be included during Annual Health Appraisal)

Healthy Weight and Weight Gain in Pregnancy: Behavioral Counseling Interventions – [USPSTF (2021)]

The USPSTF recommends that clinicians offer pregnant persons effective behavioral counseling interventions aimed at promoting healthy weight gain and preventing excess gestational weight gain in pregnancy.

Primary care clinicians can deliver effective in-person behavioral counselling interventions or refer patients to behavioral counselling interventions in other settings.

This applies to all pregnant individuals, age 10 years and older.

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis table (see list below)

Applicable procedure codes – 99401, 99402, 99403, 99404, 99411, 99412, G0473, G0447

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

(The Healthy Weight screening and counseling can also occur and be inclusive of the prenatal or antepartum care).

Hepatitis B Virus Infection in Adolescents and Adults: Screening- [USPSTF (2014) (2020) Bright Futures (2022)]

Screening and risk assessment for hepatitis B virus infection is a covered service for patients who meet the following criteria:

- Pregnant individuals at their first prenatal visit

Applicable ICD-10 diagnosis codes – Pregnancy diagnosis table (see list below)

Applicable procedure code – 80055, 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341, 87350, 87467, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

- Non-pregnant, asymptomatic, adolescents and adults at increased risk for HBV infection- including those who were vaccinated before being screened for HBV infection.

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z72.51, Z72.52, Z72.53, Z77.21, Z57.8, Z00.00, Z00.01, Z11.59, Z11.3, Z20.2, Z20.5

Applicable procedure code – 80074, 80076, 86704, 86705, 86706, 86707, 87340, 87341, 87350, 87467, G0499, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

Hepatitis C Virus Infection in Adolescents and Adults: Screening - [USPSTF (2013) (2020)]

Screening for hepatitis C virus infection is a covered service for all asymptomatic adults, including pregnant women, age 12 to 99 years of age, without known liver disease. This is a one-time screening.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z11.3, Z20.2, Z20.5, Z20.6, Z11.59, Z72.51, Z72.52, Z72.53, Z77.21, Z72.89 and Pregnancy diagnosis table (see list below)

Applicable procedure code – 86803, 86804, 87520, 87521, 87522, 87902, G0472, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0306, 0309, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770

Hypertension in Adults: Screening – [USPSTF (2015) (2021)]

Screening for high blood pressure is a covered service for:

- All adults aged 18 years or older
- Annually

The USPSTF recommends screening for hypertension in adults with office blood pressure measurement (OBPM). The USPSTF also recommends obtaining measurements outside of the clinical setting for diagnostic confirmation before starting treatment (Ambulatory Blood Pressure Measurement is payable as preventive as listed below)

Applicable ICD-10 diagnosis codes – R03.0

Applicable procedure codes – 93784, 93786, 93788, 93790, 99473, 99474

(High blood pressure screening can also be included during the Annual Health Appraisal)

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Hypertensive Disorders of Pregnancy: Screening – USPSTF (2023)

The USPSTF recommends screening for hypertensive disorder of pregnant persons with blood pressure measurements throughout pregnancy.

- Screening applies to all pregnant women and pregnant persons of all genders without a known diagnosis of a hypertensive disorder of pregnancy or chronic hypertension.
- Blood pressure measurements should be obtained during each prenatal care visit throughout pregnancy. If a patient has an elevated blood pressure reading, the reading should be confirmed with repeated measurements.
- To achieve the benefit of screening, it is important that persons who screen positive receive evidence-based management of hypertensive disorders of pregnancy.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

This service is considered inclusive in the preventive care visit or included as part of their prenatal visits, and therefore not separately reimbursable.

Human Immunodeficiency Virus (HIV) Infection: Screening- [SB 306 (2023), USPSTF (2013) (2019) (2022) & HRSA (2016) (2022) Bright Futures (2023)]

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Screening for human immunodeficiency virus (HIV) is a covered service for patients who meet any of the following criteria:

- Pregnant individuals, including women who present in labor and are untested
- All adolescents and adults aged 10-65 years in age
- All adolescents younger than 10 years of age and adults older than 65 years of age with any of the following risk factors:
 - Receives health care in a high-prevalence or high-risk clinical setting.
 - Men who have had sex with men
 - Individuals having unprotected sex with multiple partners.
 - Past or present injection drug user
 - Commercial sex worker
- Individuals whose past or present sex partners were any of the following:
 - HIV-infected
 - Bisexual individual
 - Injection drug users
- Individuals being treated for sexually transmitted diseases

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z00.121, Z00.129, Z20.2, Z22.6, Z11.3, Z11.4, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21, and pregnancy diagnosis code

Applicable procedure codes – 80081, 81025, 82540, 82565, 82570, 82575, 84702, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 87534, 87535, 87536, 87537, 87538, 87539, 87806, 99401, 99402, 99403, 99404, G0432, G0433, G0435, G0475, S3645, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0306, 0307, 0309, 0310, 0311, 0319, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0636, 0760, 0761, 0769, 0770, 0780, 0920, 0940

Prevention of Human Immunodeficiency Virus (HIV) Infection: Preexposure Prophylaxis – [SB 306 (2023), USPSTF (2019) (2021) (2022)]

Clinicians should offer pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy to persons who are not infected with HIV and who are at high risk of HIV acquisition.

The USPSTF recommended should be received by a participant, enrollee, or beneficiary prior to being prescribed anti-retroviral medication as part of the determination of whether PrEP is appropriate, as well as ongoing follow-up and monitoring.

These services include:

- HIV testing (includes home tests), both at baseline and every 3 months while taking PrEP
- Hepatitis B and C testing
- Creatinine testing and calculated estimated creatine clearance (eCrCl) or glomerular filtration rate (eGFR) to assess kidney function, conducted both at baseline and periodically thereafter, consistent with CDC guidelines
- Pregnancy testing, both at baseline and periodically thereafter
- Sexually transmitted infection (STI) screening, including home tests, and counseling
- Adherence counseling

Applicable ICD-10 diagnosis codes – Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21

Applicable CPT codes – 81025, 82565, 82570, 82575, 82540, 84702, 96372, J0739, J0750, J0751, J0799, J3490, G0011, G0012, G0013, Q0516, Q0517, Q0518

* Counseling for human immunodeficiency virus (HIV) is a covered benefit with the following qualifiers:

Applicable ICD-10 diagnosis codes – Z71.7

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable procedure codes – 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0250, 0300, 0301, 0302, 0306, 0307, 0309, 0310, 0311, 0319, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0636, 0760, 0761, 0769, 0770, 0780, 0920, 0940

Prevention of Human Immunodeficiency Virus Infection (HIV Preexposure Prophylaxis Medication or PrEP) allows for coverage of Apretude (cabotegravir extended-release injectable suspension) when administered in an office or outpatient setting using procedure code J0739 (or until a more appropriate procedure code is developed) and the administration code 96372 with one of the applicable ICD 10 codes: Z11.3, Z11.4, Z20.2, Z20.6, Z29.81, Z72.51, Z72.52, Z72.53, Z77.21

*All other benefits can be found under Hepatitis B and Hepatitis C, Human Immunodeficiency Virus (HIV), and Sexually Transmitted Infection (STI) screening and counseling categories.

(The pre-exposure prophylaxis (PrEP) with effective antiretroviral therapy is a pharmacy benefit)

Human Papillomavirus (HPV) - [USPSTF (2012) & HRSA (2016) Bright Future]

Screening for human papillomavirus (HPV) is a covered service for patients who meet all the following criteria:

- Sexually active
- Age 30 and older
- In conjunction with cervical cancer screening (Pap smear)

(Please see Cervical Cancer Screening for Human Papillomavirus (HPV) criteria)

Immunizations / Vaccines – [CDC]

Immunizations / vaccines are covered services for all patients who meet the criteria as established by the Advisory Committee on Immunization Practices (ACIP) utilizing standard industry coding (see Appendix for codes):

<https://www.cdc.gov/vaccines/schedules/hcp/index.html>

Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening - [USPSTF (2013, 2018) & HRSA (2016)]

The USPSTF recommends that clinicians screen for intimate partner violence (IPV) in women of reproductive age and provide or refer women, who screen positive, to ongoing support services. These services will pertain to individuals 12 years of age and older.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z69.81, Z69.11, Z91.414, Z91.A41, Z91.A48, Z91.A51, Z91.A58, Z91.A91, Z91.A98

Applicable procedure codes – 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, 90791

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0528, 0529, 0770, 0780

(Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening can also be included during the Annual Health Appraisal)

Latent Tuberculosis Infection: Screening - [USPSTF (2016) (2023) & Bright Futures]

Screening for tuberculosis and latent tuberculosis infection (LTBI) is a covered service for patients at increased risk who meet any of the following criteria:

- Asymptomatic individuals age 1 month and older, who are at increased risk for infection of LTBI
- Risk assessments at preventive health visits.
- Testing if risk identified for all ages.

Applicable ICD-10 diagnosis codes – R76.11, R76.12, Z00.00, Z00.01, Z00.121, Z00.129, Z11.1, Z11.7, Z20.1, Z22.7, Z86.15

Applicable procedure codes – 86480, 86481, 86580, 36415, 99211

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0302, 0309, 0500, 0509, 0510, 0511, 0512, 0513, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0761, 0769, 0770

Lead Screening- [State Mandate, AB 1316, Bright Futures]

Screening for elevated blood lead levels is a covered service for patients who meet any of the following criteria:

- Risk assessments for children up to 19 years identified as at risk when prescribed by a physician or health care provider
- Lead poisoning based on the concentration of lead in whole “venous, arterial, or cord” blood
- Screened annually

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z13.88, Z77.011

Applicable procedure code – 83655, 36415, 36416 (preventive benefits apply to 36415 and 36416 when 36415 or 36416 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0309, 0770

Lipid Disorders - [USPSTF (2008) Retired July 2015]

Screening for lipid disorders in adults is a covered service for patients annually who meet any of the following criteria:

- Men 40 years of age and to 75 years of age
- Adults 40 to 75 years of age or with any of the following risks factors:
- Diabetes
- Previous personal history of coronary heart disease (CHD) or noncoronary atherosclerosis
- Family history of cardiovascular disease before 50 years of age in male relatives and 60 years of age in female relative's
- Tobacco use
- Hypertension
- Obesity (BMI>30)

Lipid Disorder has been retired. Please refer to Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Prevention Medication.

Lung Cancer: Screening - [USPSTF (2013) (2021)]

Annual screening for lung cancer with low-dose computed tomography in adults ages 50 to 80 years who have a 20 pack-year smoking history and currently smoke or have quit within the past 15 years.

Screening should be discontinued once a person has not smoked for 15 years or develops a health problem that limits life expectancy or the ability or willingness to have curative lung surgery.

Applicable ICD-10 diagnosis codes – F17.210, F17.211, F17.213, F17.218, F17.219, Z87.891, Z72.0

Applicable procedure codes – G0296, 71271

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0350, 0352, 0359, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Newborn Screening Panel – (HRSA 2018 & Bright Futures)

Conditions listed on the Recommended Uniform Screening Panel (RUSP) are part of the comprehensive preventive health guidelines supported by HRSA for infants and children. Non grandfathered health plans are required to cover screenings included in the HRSA-supported comprehensive guidelines without charging a co-payment, co-insurance, or deductible for plan years beginning on or after the date that is one year from the Secretary's adoption of the condition for screening.

Screening for Bilirubin is a one-time screening for newborns-82247, 88720.

Screening for congenital hypothyroidism is a one-time screening and can be administered during the initial newborn care-84443, 84479.

Screening for phenylketonuria (PKU) is a covered service for all newborn infants and includes the following criteria:

- Newborns tested within the first 24 hours after birth should receive a repeat screening by two weeks of age.
- Premature infants and those with illnesses should be tested at or near seven days of age, but in all cases before discharge from the newborn nursery.
- Screening for sickle cell disease is a covered service for:
 - All newborn infants

Applicable ICD-10 diagnosis code – Z00.110, Z00.111, Z13.0, Z13.228, Z13.21, Z13.29, P07.01, P07.02, P07.03

Applicable procedure codes – S3620, 36415, 36416

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0305, 0309, 0770

*Please refer to Health Resources & Service Administration (HRSA) for an outline of all the recommended uniform screening tests.

<https://www.hrsa.gov/advisorycommittees/heritable-disorders/rusp/index.html>

Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication - [USPSTF (2011 & 2019)]

Prophylactic ocular topical medication to prevent gonococcal ophthalmia neonatorum is a covered service for:

- Newborns (typically administered during the initial hospital newborn care)

These services are considered inclusive in the newborn care visit, and therefore not separately reimbursable.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

Obesity in Children and Adolescents USPSTF [(2012, 2013 & 2017)] Weight Loss to Preventive Obesity in Adults [(USPSTF 2018)] Obesity Prevention in Midlife Woman [(HRSA 2023)]

Clinicians should screen for obesity in children, adolescents, and adults, and offer behavioral interventions and counseling to promote eating, prevent obesity, and promote improvements to weight status and physical activity. Services are covered for:

- Children and adolescents 6 years of age and older with a body mass index of 18.5 – 29.9 kg/m²
- Adults with a BMI of 30 or higher
- Woman ages 40 to 60 years of age

Applicable ICD-10 diagnosis codes- E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.54

Applicable procedure codes – G0447, G0473

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

(Obesity screening and counseling can also be included during the Annual Health Appraisal)

Oral Fluoride – [USPSTF (2014)]

Oral Fluoride has been combined with Dental Caries category, as of August 2019.

Please see Dental Caries and Oral Fluoride for additional information.

Osteoporosis to Prevent Fractures: Screening- [USPSTF (2012) (2018)]

Screening for osteoporosis is a covered service for patients who meet any of the following criteria (medical policy applies for testing intervals for osteoporosis):

- Females 65 years of age and older
- Postmenopausal females younger than 65 years of age with one or more risk factors for osteoporosis-related fractures
- Minimum interval of two years for repeat screening

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z13.820, Z78.0

Applicable procedure codes – 77080, 77081, 76977, 77085, G0130

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0320, 0329, 0350, 0352, 0359, 0402, 0770

Prevention of Dental Caries and Oral Fluoride in Children from Birth Through Age 5 Years: Screening - [USPSTF (2014) (2021) (Bright Futures (2021))]

Primary care clinicians should prescribe oral fluoride supplementation, and apply fluoride varnish to the primary teeth of infants and children, starting at the age of primary tooth eruption in primary care practices, is a covered benefit for:

- Children 6 months to 5 years of age
- Children 6 months to 16 years of age for fluoride supplementation
- Primary water source is deficient in fluoride.
- Limit of 2 times a year

Preventive benefits do not include OTC supplements—these are not covered benefits. The prescription of fluoride supplement is covered under the pharmacy benefits.

Applicable ICD-10 diagnosis codes – Z00.121, Z00.129, Z29.3, Z91.841, Z91.842, Z91.843, Z91.849

Applicable procedure codes – 99188, 0792T

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0512, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0761, 0769, 0770, 0982, 0983

(Assessing the need of Oral Fluoride supplement can be performed during the annual health appraisal)

Prostate Cancer Screening - [State Mandate]

(Cal. Ins. Code § 10123.835 (2017)) / (Cal. Health & Safety Code § 1367.64 (2017))

Screening for prostate cancer*** (which includes both a prostate-specific antigen (PSA) test and a digital rectal exam) is a covered service for all patients annually who meet the following criteria:

- Individuals 50 years of age and older
- Individuals 40 to 50 years of age with one of the following risk factors who have been advised to have screening or who have requested screening:
- African American
- Family history of prostate cancer

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z12.5, Z80.42, Z86.002

Applicable procedure codes – 84152, 84153, 84154, G0102, G0103, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0309, 0500, 0509, 0510, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0770, 0960, 0982, 0983

(Prostate cancer screening can also be included during the Annual Health Appraisal)

Rh (D) Incompatibility: Screening - [USPSTF (2004)]

Screening for Rh (D) incompatibility is a covered service for patients who meet any of the following criteria:

- All Pregnant individuals
- During first visit for pregnancy-related care
- Unsensitized Rh (D) negative pregnant individuals
- Repeat testing at 24 to 28 weeks' gestation unless the biological father to be, is known
- Rh (D) negative

Applicable ICD-10 diagnosis codes – Z32.01 and Pregnancy diagnosis code (see list below)

Applicable procedure codes – 80055, 80081, 86850, 86900, 86901, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0302, 0305, 0309, 0390, 0770

Screening for Diabetes After Pregnancy – [HRSA (2020) (2023)]

The Women's Preventive Services Initiative recommends screening for type 2 diabetes in women with a history of gestational diabetes mellitus (GDM) who are not currently pregnant and who have not previously been diagnosed with type 2 diabetes mellitus. Initial testing should ideally occur within the first year postpartum and can be conducted as early as 4–6 weeks postpartum.

Women with a negative initial postpartum screening test result should be rescreened at least every 3 years for a minimum of 10 years after pregnancy. For women with a positive postpartum screening test result, testing to confirm the diagnosis of diabetes is indicated regardless of the initial test (e.g., oral glucose tolerance test, fasting plasma glucose, or hemoglobin A1c).

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Repeat testing is indicated in women who were screened with hemoglobin A1c in the first 6 months postpartum regardless of the result.

*This applies to all individuals within the first postpartum year.

Applicable diagnosis codes – Z13.1, Z86.32, O99.815, R73.01, R73.02, R73.03, R73.09, R73.9

Applicable procedure codes – 82946, 82947, 82948, 82950, 82951, 82952, 83036, 36415

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0309, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770

Screening for Hearing Loss in Newborn and Children- [Bright Future]

Screening for hearing loss is a covered service for:

- Newborn infants (typically administered during the initial hospital newborn care)
- Children and adolescents 0 to 21 years-Pure Tone audiometry and tympanometry
- Screening will be conducted using a one- or two-step validated screening process.

Newborn infants aged 28 days and under:

Applicable procedure codes: 92558, 92587, 92588, 92650

Applicable ICD-10 diagnosis codes – Z00.110, Z00.111, Z00.121, Z00.129, P09.6

Children and adolescents 0 to 21 years of age:

Applicable procedure codes – V5008, 92551, 92552, 92567

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0470, 0471, 0479, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0770

Screening for Prediabetes and Type 2 Diabetes Mellitus: - [USPSTF (2008) (2015) (2020) (2021)]

Screening for abnormal blood glucose and screening for Diabetes Mellitus (Type 2) in a primary care setting is a covered service for:

- Adults aged 35 to 70 years who are overweight (BMI equal or greater than 25) or obese (BMI equal or greater than 30) and have no obvious symptoms of diabetes.
- Adults who have a family history of diabetes, history of gestational diabetes, or history of polycystic ovarian syndrome.

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

- Adults who are members of certain racial/ethnic groups may be at increased risk.

*Clinicians should offer or refer patients with prediabetes to effective preventive interventions to promote a healthful diet and physical activity.

Applicable ICD-10 diagnosis codes – Z13.1, Z83.3, Z86.32, E28.2, E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, R73.01, R73.02, R73.03, R73.09, R73.9, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45

Applicable procedure codes – 82947, 82951, 82952, 83036, 0403T, 0488T, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0301, 0306, 0309, 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0780

(Prediabetes and Diabetes Mellitus (Type 2) screening can also be performed during the Annual Health Appraisal)

Screening for Urinary Incontinence – [HRSA (2018)]

The Women's Preventive Services Initiative recommends screening women for urinary incontinence annually. Screening should ideally assess whether women experience urinary incontinence and whether it impacts their activities and quality of life. The Women's Preventive Services Initiative recommends referring women for further evaluation and treatment if indicated.

The Women's Preventive Services Initiative recommends screening women for urinary incontinence as a preventive service. Factors associated with an increased risk for urinary incontinence include increasing parity, advancing age, and obesity; however, these factors should not be used to limit screening.

Several screening tools demonstrate fair to high accuracy in identifying urinary incontinence in women. Although minimum screening intervals are unknown, given the prevalence of urinary incontinence, the fact that many women do not volunteer symptoms, and the multiple, frequently changing risk factors associated with incontinence, it is reasonable to conduct annually.

These services are considered included in the Annual Health Appraisal or Well Women Visit, and therefore not separately reimbursable.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

(This service would be included as part of the Annual Health Appraisal, or the Well Women visit)

Page 31 of 75

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Sexually transmitted infections / diseases (STI / STD) Behavioral Counseling- [USPSTF (2014) (2020) & HRSA (2016) Bright Futures]

Behavioral counseling to prevent sexually transmitted infections is a covered service for patients who meet any of the following criteria:

- Sexually active individuals with risk factors, but not limited to, any of the following:
- Current STIs or STDs within the past year
- Multiple current sexual partners
- In non-monogamous relationships if they reside in a community with a high rate of STIs

Individuals being treated for sexually transmitted diseases may be more likely than others to engage in high-risk behavior.

Applicable ICD-10 diagnosis codes – Z70.0, Z70.1, Z70.2, Z70.3, Z70.8, Z72.89

Applicable procedure codes – 99401, 99402, 99403, 99404, G0445

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0760, 0761, 0769, 0780

(Sexually transmitted infections/ diseases (STI/STD) behavioral counseling can also be included during the Annual Health Appraisal)

Skin Cancer Prevention: Behavioral Counseling- [USPSTF (2012) (2018)]

Behavioral counseling for young adults, adolescents, children, and parents of young children, about minimizing exposure to ultraviolet radiation to reduce risk for skin cancer is a covered service for patients with fair skin who meet any of the following criteria:

- Ages 6 months to 24 years of age

These services are considered inclusive in the preventive care visit, and therefore not separately reimbursable.

Applicable ICD-10 diagnosis codes – None

Applicable procedure codes – None

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Statin Use for the Primary Prevention of Cardiovascular Disease in Adults: Prevention Medication (USPSTF (2016) (2022))

Statin Use for the Primary Prevention of Cardiovascular Disease in Adults – The USPSTF recommends that adults without a history of cardiovascular disease (CVD) (i.e., symptomatic coronary artery disease or ischemic stroke) use a low- to moderate dose statin for the prevention of CVD events and mortality when all the following criteria are met:

- 40 to 75 years of age
- have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking)
- have a calculated 10-year risk of a cardiovascular event of 10% or greater.

(Identification of dyslipidemia and calculation of 10-year CVD event risk requires universal lipids screening in adults aged 40 to 75 years)

The USPSTF also recommended clinicians may choose to offer a low-to-moderate-dose statin to adults without a history of CVD who meet the following criteria:

- 40 to 75 years of age
- have 1 or more CVD risk factors (i.e., dyslipidemia, diabetes, hypertension, or smoking)
- have a calculated 10-year risk of a CVD event of 7.5% to less than 10%.

Applicable ICD-10 diagnosis codes – Z00.00, Z00.01, Z01.411, Z01.419, Z13.220

Applicable procedure codes – 80061, 82465, 83718, 83719, 83721, 84478, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code –0300, 0301, 0305, 0309, 0310, 0319, 0770

(Statin medications are a pharmacy benefit)

Sudden Cardiac Arrest/Sudden Cardiac Death Screening– [Bright Futures (2022)]

Clinicians should provide screening for sudden cardiac arrest or sudden cardiac death risk factors using a standardized screening or assessment instruments.

These screenings are a covered service for asymptomatic patients-age 11 years of age to 21 years of age.

Applicable ICD-10 diagnosis codes – G71.00, I10, I20.0, I20.1, I20.8, I20.9, I34.0, I42.0, I42.1, I42.2, I42.5, I42.8, I42.9, I47.0, I47.1, I47.2, I47.9, I48.20, I49.01, I49.02, Q20.8, Q20.9, Q23.0, Q87.40, Q87.410, Q87.418, Q87.89, R00.0, R00.1, R00.2, R00.8, R00.9, R01.0, R01.1, R01.2, R03.0, R06.00, R06.02, R06.03, R06.09, R06.9, R07.1, R07.2, R07.82, R07.89, R07.9, R53.1, R55,

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Z13.6, Z14.8, Z15.89, Z36.83, Z79.01, Z79.52, Z82.41, Z82.49, Z82.69, Z83.42, Z84.81, Z84.89, Z86.74, Z86.79, Z95.0

Applicable procedure codes – 96160, 93000, 93005, 93010

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0985

(Screening for sudden cardiac arrest/sudden cardiac death use can also be included during the Annual Health Appraisal)

Syphilis Infection in Nonpregnant Adults and Adolescents, Pregnant Adults: Screening - [SB 306 (2023), USPSTF (2016) (2022) Bright Futures]

Screening for syphilis infection is a covered service for patients who meet any of the following criteria:

Asymptomatic, nonpregnant adults and adolescents who are at increased risk for syphilis infection with any of the following risk factors:

- Receives health care in a high-prevalence or high-risk clinical setting.
- Men who have had sex with men.
- Individuals with HIV
- Commercial sex worker
- Those in adult correctional facilities.
- Male younger than 29 years of age

Pregnant individuals

- At first prenatal visit
- Second screening during the third trimester for those who are in high-risk groups.
- At delivery for those who are in high-risk groups

Home Test Kits are covered when ordered and purchased by an in-network provider for Syphilis, Chlamydia, Gonorrhea, HIV and other STIs.

Applicable ICD-10 diagnosis codes – B20, Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z01.42, Z11.2, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z21, Z57.8, Z72.51, Z72.52, Z72.53, Z77.21, Z77.9, and pregnancy diagnosis code (see list below)

Applicable procedure codes – 80055, 80081, 86592, 86593, 86780, 0064U, 0065U, 0210U, 36415 (preventive benefits apply to 36415 when 36415 is billed with the applicable diagnosis and procedure codes)

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0300, 0302, 0306, 0309, 0310, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

Tobacco Smoking Cessation in Adults, Including Pregnant Women: Interventions - [USPSTF (2015) (2021)] Tobacco Use in Children and Adolescents: Primary Care Interventions (USPSTF (2013) (2020))

Clinicians should ask all children, adolescents, adults, including pregnant persons, about tobacco use, including e-cigarettes, advise them to stop using tobacco, and provide behavioral interventions.

- Children 5 years of age and older
- Adolescents and adults
- Pregnant women

As defined by the US Food and Drug Administration, tobacco products include any product made or derived from tobacco intended for human consumption (except products that meet the definition of drugs), including, but not limited to, cigarettes, cigars (including cigarillos and little cigars), dissolvable, hookah tobacco, nicotine gels, pipe tobacco, roll-your-own tobacco, smokeless tobacco products (including dip, snuff, snus, and chewing tobacco), vapes, electronic cigarettes (e-cigarettes), hookah pens, and other electronic nicotine delivery systems.

Applicable ICD-10 diagnosis codes – F17.200, F17.203, F17.208, F17.209, F17.210, F17.213, F17.218, F17.219, F17.220, F17.223, F17.228, F17.229, F17.290, F17.293, F17.298, F17.299, Z87.891, Z71.6, Z72.0, and pregnancy diagnosis code (see list below)

Applicable procedure codes – 99406, 99407

Pharmacotherapy interventions approved by the FDA for the treatment of tobacco smoking dependence are covered for non-pregnant adults include nicotine replacement therapy (NRT) are covered with: Applicable procedure codes. S4990, S4991, S4995

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0760, 0761, 0769, 0770, 0780

Visual in Children: Screening- [USPSTF (2008) & Bright Futures]

Vision screening to detect the presence of amblyopia or its risk factors is a covered service for children who meet the following criteria:

- 0 to 21 years of age
- Risk assessments at preventive health visits.

Applicable ICD-10 diagnosis codes – Z01.00, Z01.01, Z01.020, Z01.021, Z00.121, Z00.129, Z13.5,

Applicable procedure codes – 99173, 99174, 99177

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

Applicable revenue codes when billed with an applicable CPT/HCPCS Procedure code – 0500, 0509, 0510, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0760, 0761, 0769, 0770, 0920, 0929

***Reflects additional state requirements for covered services.

Pregnancy Diagnosis Table

The following Pregnancy Diagnosis Codes are required where indicated in the Preventive Care Services table (above):

ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10	ICD-10
O0000	O2322	O30033	O318X30	O3505X1	O35GXX5	O365932	O3692X9	O4193X3	O98113
O0001	O2323	O30039	O318X31	O3505X2	O35GXX9	O365933	O3693X0	O4193X4	O98119
O00101	O2330	O30041	O318X32	O3505X3	O35HXX0	O365934	O3693X1	O4193X5	O98211
O00102	O2331	O30042	O318X33	O3505X4	O35HXX1	O365935	O3693X2	O4193X9	O98212
O00109	O2332	O30043	O318X34	O3505X5	O35HXX2	O365939	O3693X3	O4200	O98213
O00111	O2333	O30049	O318X35	O3505X9	O35HXX3	O365990	O3693X4	O42011	O98219
O00112	O2340	O30091	O318X39	O3506X0	O35HXX4	O365991	O3693X5	O42012	O98311
O00119	O2341	O30092	O318X90	O3506X1	O35HXX5	O365992	O3693X9	O42013	O98312
O00201	O2342	O30093	O318X91	O3506X2	O35HXX9	O365993	O401XX0	O42019	O98313
O00202	O2343	O30099	O318X92	O3506X3	O360110	O365994	O401XX1	O4202	O98319
O00209	O23511	O30101	O318X93	O3506X4	O360111	O365995	O401XX2	O4210	O98411
O00211	O23512	O30102	O318X94	O3506X5	O360112	O365999	O401XX3	O42111	O98412
O00212	O23513	O30103	O318X95	O3506X9	O360113	O3660X0	O401XX4	O42112	O98413
O00219	O23519	O30109	O318X99	O3507X0	O360114	O3660X1	O401XX5	O42113	O98419
O0080	O23521	O30111	O320XX0	O3507X1	O360115	O3660X2	O401XX9	O42119	O98511
O0081	O23522	O30112	O320XX1	O3507X2	O360119	O3660X3	O402XX0	O4212	O98512
O0090	O23523	O30113	O320XX2	O3507X3	O360120	O3660X4	O402XX1	O4290	O98513
O0091	O23529	O30119	O320XX3	O3507X4	O360121	O3660X5	O402XX2	O42911	O98519
O0281	O23591	O30121	O320XX4	O3507X5	O360122	O3660X9	O402XX3	O42912	O98611
O0900	O23592	O30122	O320XX5	O3507X9	O360123	O3661X0	O402XX4	O42913	O98612
O0901	O23593	O30123	O320XX9	O3508X0	O360124	O3661X1	O402XX5	O42919	O98613
O0902	O23599	O30129	O321XX0	O3508X1	O360125	O3661X2	O402XX9	O4292	O98619
O0903	O2390	O30131	O321XX1	O3508X2	O360129	O3661X3	O403XX0	O43011	O98711
O0910	O2391	O30132	O321XX2	O3508X3	O360130	O3661X4	O403XX1	O43012	O98712
O0911	O2392	O30133	O321XX3	O3508X4	O360131	O3661X5	O403XX2	O43013	O98713
O0912	O2393	O30139	O321XX4	O3508X5	O360132	O3661X9	O403XX3	O43019	O98719
O0913	O24011	O30191	O321XX5	O3508X9	O360133	O3662X0	O403XX4	O43021	O98811
O09211	O24012	O30192	O321XX9	O3509X0	O360134	O3662X1	O403XX5	O43022	O98812

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O09212	O24013	O30193	O322XX0	O3509X1	O360135	O3662X2	O403XX9	O43023	O98813
O09213	O24019	O30199	O322XX1	O3509X2	O360139	O3662X3	O409XX0	O43029	O98819
O09219	O24111	O30201	O322XX2	O3509X3	O360190	O3662X4	O409XX1	O43101	O98911
O09291	O24112	O30202	O322XX3	O3509X4	O360191	O3662X5	O409XX2	O43102	O98912
O09292	O24113	O30203	O322XX4	O3509X5	O360192	O3662X9	O409XX3	O43103	O98913
O09293	O24119	O30209	O322XX5	O3509X9	O360193	O3663X0	O409XX4	O43109	O98919
O09299	O24311	O30211	O322XX9	O3510X0	O360194	O3663X1	O409XX5	O43111	O99011
O0930	O24312	O30212	O323XX0	O3510X1	O360195	O3663X2	O409XX9	O43112	O99012
O0931	O24313	O30213	O323XX1	O3510X2	O360199	O3663X3	O4100X0	O43113	O99013
O0932	O24319	O30219	O323XX2	O3510X3	O360910	O3663X4	O4100X1	O43119	O99019
O0933	O24410	O30221	O323XX3	O3510X4	O360911	O3663X5	O4100X2	O43121	O99111
O0940	O24414	O30222	O323XX4	O3510X5	O360912	O3663X9	O4100X3	O43122	O99112
O0941	O24415	O30223	O323XX5	O3510X9	O360913	O3670X0	O4100X4	O43123	O99113
O0942	O24419	O30229	O323XX9	O3511X0	O360914	O3670X1	O4100X5	O43129	O99119
O0943	O24811	O30231	O324XX0	O3511X1	O360915	O3670X2	O4100X9	O43191	O99210
O09511	O24812	O30232	O324XX1	O3511X2	O360919	O3670X3	O4101X0	O43192	O99211
O09512	O24813	O30233	O324XX2	O3511X3	O360920	O3670X4	O4101X1	O43193	O99212
O09513	O24819	O30239	O324XX3	O3511X4	O360921	O3670X5	O4101X2	O43199	O99213
O09519	O24911	O30291	O324XX4	O3511X5	O360922	O3670X9	O4101X3	O43211	O99280
O09521	O24912	O30292	O324XX5	O3511X9	O360923	O3671X0	O4101X4	O43212	O99281
O09522	O24913	O30293	O324XX9	O3512X0	O360924	O3671X1	O4101X5	O43213	O99282
O09523	O24919	O30299	O326XX0	O3512X1	O360925	O3671X2	O4101X9	O43219	O99283
O09529	O2510	O30801	O326XX1	O3512X2	O360929	O3671X3	O4102X0	O43221	O99310
O09611	O2511	O30802	O326XX2	O3512X3	O360930	O3671X4	O4102X1	O43222	O99311
O09612	O2512	O30803	O326XX3	O3512X4	O360931	O3671X5	O4102X2	O43223	O99312
O09613	O2513	O30809	O326XX4	O3512X5	O360932	O3671X9	O4102X3	O43229	O99313
O09619	O2600	O30811	O326XX5	O3512X9	O360933	O3672X0	O4102X4	O43231	O99320
O09621	O2601	O30812	O326XX9	O3513X0	O360934	O3672X1	O4102X5	O43232	O99321
O09622	O2602	O30813	O328XX0	O3513X1	O360935	O3672X2	O4102X9	O43233	O99322
O09623	O2603	O30819	O328XX1	O3513X2	O360939	O3672X3	O4103X0	O43239	O99323
O09629	O2610	O30821	O328XX2	O3513X3	O360990	O3672X4	O4103X1	O43811	O99330
O0970	O2611	O30822	O328XX3	O3513X4	O360991	O3672X5	O4103X2	O43812	O99331
O0971	O2612	O30823	O328XX4	O3513X5	O360992	O3672X9	O4103X3	O43813	O99332
O0972	O2613	O30829	O328XX5	O3513X9	O360993	O3673X0	O4103X4	O43819	O99333
O0973	O2620	O30831	O328XX9	O3514X0	O360994	O3673X1	O4103X5	O43891	O99340
O09811	O2621	O30832	O329XX0	O3514X1	O360995	O3673X2	O4103X9	O43892	O99341
O09812	O2622	O30833	O329XX1	O3514X2	O360999	O3673X3	O411010	O43893	O99342
O09813	O2623	O30839	O329XX2	O3514X3	O361110	O3673X4	O411011	O43899	O99343

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O09819	O2630	O30891	O329XX3	O3514X4	O361111	O3673X5	O411012	O4390	O99350
O09821	O2631	O30892	O329XX4	O3514X5	O361112	O3673X9	O411013	O4391	O99351
O09822	O2632	O30893	O329XX5	O3514X9	O361113	O3680X0	O411014	O4392	O99352
O09823	O2633	O30899	O329XX9	O3515X0	O361114	O3680X1	O411015	O4393	O99353
O09829	O2640	O3090	O330	O3515X1	O361115	O3680X2	O411019	O4400	O99411
O1222	O2693	O3112X5	O34219	O355XX3	O3620X0	O368294	O411411	O46009	Z3400
O09891	O2641	O3091	O331	O3515X2	O361119	O3680X3	O411020	O4401	O99412
O09892	O2642	O3092	O332	O3515X3	O361120	O3680X4	O411021	O4402	O99413
O09893	O2643	O3093	O333XX0	O3515X4	O361121	O3680X5	O411022	O4403	O99419
O09899	O2650	O3100X0	O333XX1	O3515X5	O361122	O3680X9	O411023	O4410	O99511
O0990	O2651	O3100X1	O333XX2	O3515X9	O361123	O368120	O411024	O4411	O99512
O0991	O2652	O3100X2	O333XX3	O3519X0	O361124	O368121	O411025	O4412	O99513
O0992	O2653	O3100X3	O333XX4	O3519X1	O361125	O368122	O411029	O4413	O99519
O0993	O26611	O3100X4	O333XX5	O3519X2	O361129	O368123	O411030	O4420	O99611
O09A0	O26612	O3100X5	O333XX9	O3519X3	O361130	O368124	O411031	O4421	O99612
O09A1	O26613	O3100X9	O334XX0	O3519X4	O361131	O368125	O411032	O4422	O99613
O09A2	O26619	O3101X0	O334XX1	O3519X5	O361132	O368129	O411033	O4423	O99619
O09A3	O26641	O3101X1	O334XX2	O3519X9	O361133	O368130	O411034	O4430	O99711
O10011	O26642	O3101X2	O334XX3	O350XX0	O361134	O368131	O411035	O4431	O99712
O10012	O26643	O3101X3	O334XX4	O350XX1	O361135	O368132	O411039	O4432	O99713
O10013	O26649	O3101X4	O334XX5	O350XX2	O361139	O368133	O411090	O4433	O99719
O10019	O26711	O3101X5	O334XX9	O350XX3	O361190	O368134	O411091	O4440	O99810
O10111	O26712	O3101X9	O335XX0	O350XX4	O361191	O368135	O411092	O4441	O99820
O10112	O26713	O3102X0	O335XX1	O350XX5	O361192	O368139	O411093	O4442	O99830
O10113	O26719	O3102X1	O335XX2	O350XX9	O361193	O368190	O411094	O4443	O99840
O10119	O26811	O3102X2	O335XX3	O351XX0	O361194	O368191	O411095	O4450	O99841
O10211	O26812	O3102X3	O335XX4	O351XX1	O361195	O368192	O411099	O4451	O99842
O10212	O26813	O3102X4	O335XX5	O351XX2	O361199	O368193	O411210	O4452	O99843
O10213	O26819	O3102X5	O335XX9	O351XX3	O361910	O368194	O411211	O4453	O99891
O10219	O26821	O3102X9	O336XX0	O351XX4	O361911	O368195	O411212	O45001	O99892
O10311	O26822	O3103X0	O336XX1	O351XX5	O361912	O368199	O411213	O45002	O99893
O10312	O26823	O3103X1	O336XX2	O351XX9	O361913	O368210	O411214	O45003	O9A111
O10313	O26829	O3103X2	O336XX3	O352XX0	O361914	O368211	O411215	O45009	O9A112
O10319	O26831	O3103X3	O336XX4	O352XX1	O361915	O368212	O411219	O45011	O9A113
O10411	O26832	O3103X4	O336XX5	O352XX2	O361919	O368213	O411220	O45012	O9A119
O10412	O26833	O3103X5	O336XX9	O352XX3	O361920	O368214	O411221	O45013	O9A211
O10413	O26839	O3103X9	O337XX0	O352XX4	O361921	O368215	O411222	O45019	O9A212
O10419	O26841	O3110X0	O337XX1	O352XX5	O361922	O368219	O411223	O45021	O9A213

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O10911	O26842	O3110X1	O337XX2	O352XX9	O361923	O368220	O411224	O45022	O9A219
O10912	O26843	O3110X2	O337XX3	O353XX0	O361924	O368221	O411225	O45023	O9A311
O10913	O26849	O3110X3	O337XX4	O353XX1	O361925	O368222	O411229	O45029	O9A312
O10919	O26851	O3110X4	O337XX5	O353XX2	O361929	O368223	O411230	O45091	O9A313
O111	O26852	O3110X5	O337XX9	O353XX3	O361930	O368224	O411231	O45092	O9A319
O112	O26853	O3110X9	O338	O353XX4	O361931	O368225	O411232	O45093	O9A411
O113	O26859	O3111X0	O339	O353XX5	O361932	O368229	O411233	O45099	O9A412
O119	O2686	O3111X1	O3400	O353XX9	O361933	O368230	O411234	O458X1	O9A413
O1200	O26872	O3111X2	O3401	O354XX0	O361934	O368231	O411235	O458X2	O9A419
O1201	O26873	O3111X3	O3402	O354XX1	O361935	O368232	O411239	O458X3	O9A511
O1202	O26879	O3111X4	O3403	O354XX2	O361939	O368233	O411290	O458X9	O9A512
O1203	O26891	O3111X5	O3410	O354XX3	O361990	O368234	O411291	O4590	O9A513
O1210	O26892	O3111X9	O3411	O354XX4	O361991	O368235	O411292	O4591	O9A519
O1211	O26893	O3112X0	O3412	O354XX5	O361992	O368239	O411293	O4592	Z0379
O1212	O26899	O3112X1	O3413	O354XX9	O361993	O368290	O411294	O4593	Z1332
O1213	O2690	O3112X2	O34211	O355XX0	O361994	O368291	O411295	O46001	Z322
O1220	O2691	O3112X3	O34212	O355XX1	O361995	O368292	O411299	O46002	Z331
O1221	O2692	O3112X4	O34218	O355XX2	O361999	O368293	O411410	O46003	Z333
O1223	O280	O3112X9	O3422	O355XX4	O3620X1	O368295	O411412	O46011	Z3401
O131	O281	O3113X0	O3429	O355XX5	O3620X2	O368299	O411413	O46012	Z3402
O132	O282	O3113X1	O3430	O355XX9	O3620X3	O368310	O411414	O46013	Z3403
O133	O283	O3113X2	O3431	O356XX0	O3620X4	O368311	O411415	O46019	Z3480
O134	O284	O3113X3	O3432	O356XX1	O3620X5	O368312	O411419	O46021	Z3481
O139	O285	O3113X4	O3433	O356XX2	O3620X9	O368313	O411420	O46022	Z3482
O1400	O288	O3113X5	O3440	O356XX3	O3621X0	O368314	O411421	O46023	Z3483
O1402	O289	O3113X9	O3441	O356XX4	O3621X1	O368315	O411422	O46029	Z3490
O1403	O29011	O3120X0	O3442	O356XX5	O3621X2	O368319	O411423	O46091	Z3491
O1404	O29012	O3120X1	O3443	O356XX9	O3621X3	O368320	O411424	O46092	Z3492
O1410	O29013	O3120X2	O34511	O357XX0	O3621X4	O368321	O411425	O46093	Z3493
O1412	O29019	O3120X3	O34512	O357XX1	O3621X5	O368322	O411429	O46099	Z362
O1413	O29021	O3120X4	O34513	O357XX2	O3621X9	O368323	O411430	O468X1	Z3689
O1420	O29022	O3120X5	O34519	O357XX3	O3622X0	O368324	O411431	O468X2	Z368A
O1422	O29023	O3120X9	O34521	O357XX4	O3622X1	O368325	O411432	O468X3	Z369
O1423	O29029	O3121X0	O34522	O357XX5	O3622X2	O368329	O411433	O468X9	O99324
O1490	O29091	O3121X1	O34523	O357XX9	O3622X3	O368330	O411434	O4690	O99335
O1492	O29092	O3121X2	O34529	O358XX0	O3622X4	O368331	O411435	O4691	
O1493	O29093	O3121X3	O34531	O358XX1	O3622X5	O368332	O411439	O4692	

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O1500	O29099	O3121X4	O34532	O358XX2	O3622X9	O368333	O411490	O4693
O1502	O29111	O3121X5	O34533	O358XX3	O3623X0	O368334	O411491	O4700
O1503	O29112	O3121X9	O34539	O358XX4	O3623X1	O368335	O411492	O4702
O151	O29113	O3122X0	O34591	O358XX5	O3623X2	O368339	O411493	O4703
O159	O29119	O3122X1	O34592	O358XX9	O3623X3	O368390	O411494	O471
O161	O29121	O3122X2	O34593	O359XX0	O3623X4	O368391	O411495	O479
O162	O29122	O3122X3	O34599	O359XX1	O3623X5	O368392	O411499	O480
O163	O29123	O3122X4	O3460	O359XX2	O3623X9	O368393	O418X10	O481
O169	O29129	O3122X5	O3461	O359XX3	O364XX0	O368394	O418X11	O6000
O200	O29191	O3122X9	O3462	O359XX4	O364XX1	O368395	O418X12	O6002
O208	O29192	O3123X0	O3463	O359XX5	O364XX2	O368399	O418X13	O6003
O209	O29193	O3123X1	O3470	O359XX9	O364XX3	O368910	O418X14	O88011
O210	O29199	O3123X2	O3471	O35AXX0	O364XX4	O368911	O418X15	O88012
O211	O29211	O3123X3	O3472	O35AXX1	O364XX5	O368912	O418X19	O88013
O212	O29212	O3123X4	O3473	O35AXX2	O364XX9	O368913	O418X20	O88019
O218	O29213	O3123X5	O3480	O35AXX3	O365110	O368914	O418X21	O88111
O219	O29219	O3123X9	O3481	O35AXX4	O365111	O368915	O418X22	O88112
O2200	O29291	O3130X0	O3482	O35AXX5	O365112	O368919	O418X23	O88113
O2201	O29292	O3130X1	O3483	O35AXX9	O365113	O368920	O418X24	O88119
O2202	O29293	O3130X2	O3490	O35BXX0	O365114	O368921	O418X25	O88211
O2203	O29299	O3130X3	O3491	O35BXX1	O365115	O368922	O418X29	O88212
O2210	O293X1	O3130X4	O3492	O35BXX2	O365119	O368923	O418X30	O88213
O2211	O293X2	O3130X5	O3493	O35BXX3	O365120	O368924	O418X31	O88219
O2212	O293X3	O3130X9	O3500X0	O35BXX4	O365121	O368925	O418X32	O88311
O2213	O293X9	O3131X0	O3500X1	O35BXX5	O365122	O368929	O418X33	O88312
O2220	O2940	O3131X1	O3500X2	O35BXX9	O365123	O368930	O418X34	O88313
O2221	O2941	O3131X2	O3500X3	O35CXX0	O365124	O368931	O418X35	O88319
O2222	O2942	O3131X3	O3500X4	O35CXX1	O365125	O368932	O418X39	O88811
O2223	O2943	O3131X4	O3500X5	O35CXX2	O365129	O368933	O418X90	O88812
O2230	O295X1	O3131X5	O3500X9	O35CXX3	O365130	O368934	O418X91	O88813
O2231	O295X2	O3131X9	O3501X0	O35CXX4	O365131	O368935	O418X92	O88819
O2232	O295X3	O3132X0	O3501X1	O35CXX5	O365132	O368939	O418X93	O91011
O2233	O295X9	O3132X1	O3501X2	O35CXX9	O365133	O368990	O418X94	O91012
O2240	O2960	O3132X2	O3501X3	O35DXX0	O365134	O368991	O418X95	O91013
O2241	O2961	O3132X3	O3501X4	O35DXX1	O365135	O368992	O418X99	O91019
O2242	O2962	O3132X4	O3501X5	O35DXX2	O365139	O368993	O4190X0	O91111
O2243	O2963	O3132X5	O3501X9	O35DXX3	O365190	O368994	O4190X1	O91112
O2250	O298X1	O3132X9	O3502X0	O35DXX4	O365191	O368995	O4190X2	O91113

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

O2251	O298X2	O3133X0	O3502X1	O35DXX5	O365192	O368999	O4190X3	O91119
O2252	O298X3	O3133X1	O3502X2	O35DXX9	O365193	O3690X0	O4190X4	O91211
O2253	O298X9	O3133X2	O3502X3	O35EXX0	O365194	O3690X1	O4190X5	O91212
O228X1	O2990	O3133X3	O3502X4	O35EXX1	O365195	O3690X2	O4190X9	O91213
O228X2	O2991	O3133X4	O3502X5	O35EXX2	O365199	O3690X3	O4191X0	O91219
O228X3	O2992	O3133X5	O3502X9	O35EXX3	O365910	O3690X4	O4191X1	O92011
O228X9	O2993	O3133X9	O3503X0	O35EXX4	O365911	O3690X5	O4191X2	O92012
O2290	O30001	O318X10	O3503X1	O35EXX5	O365912	O3690X9	O4191X3	O92013
O2291	O30002	O318X11	O3503X2	O35EXX9	O365913	O3691X0	O4191X4	O92019
O2292	O30003	O318X12	O3503X3	O35FXX0	O365914	O3691X1	O4191X5	O92111
O2293	O30009	O318X13	O3503X4	O35FXX1	O365915	O3691X2	O4191X9	O92112
O2300	O30011	O318X14	O3503X5	O35FXX2	O365919	O3691X3	O4192X0	O92113
O2301	O30012	O318X15	O3503X9	O35FXX3	O365920	O3691X4	O4192X1	O92119
O2302	O30013	O318X19	O3504X0	O35FXX4	O365921	O3691X5	O4192X2	O9220
O2303	O30019	O318X20	O3504X1	O35FXX5	O365922	O3691X9	O4192X3	O9229
O2310	O30021	O318X21	O3504X2	O35FXX9	O365923	O3692X0	O4192X4	O98011
O2311	O30022	O318X22	O3504X3	O35GXX0	O365924	O3692X1	O4192X5	O98012
O2312	O30023	O318X23	O3504X4	O35GXX1	O365925	O3692X2	O4192X9	O98013
O2313	O30029	O318X24	O3504X5	O35GXX2	O365929	O3692X3	O4193X0	O98019
O2320	O30031	O318X25	O3504X9	O35GXX3	O365930	O3692X4	O4193X1	O98111
O2321	O30032	O318X29	O3505X0	O35GXX4	O365931	O3692X5	O4193X2	O98112

Covid Immunization / Vaccine code table

CPT/HCPCS code	CPT/HCPCS code
91304	D1705
91318	D1706
91319	D1707
91320	D1708
91321	D1709
91322	D1710
D1701	D1711
D1702	D1712
D1703	D1713
D1704	D1714

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

Covid Immunization / Vaccine Administration code table

CPT/HCPCS
90480
M0201

Preventive Immunization / Vaccination code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90380	90649	90676	90700	90747
90381	90650	90677	90702	90748
90476	90651	90678	90707	90750
90477	90653	90679	90710	90756
90587	90654	90680	90713	90759
90619	90655	90681	90714	D1781
90620	90656	90682	90715	D1782
90621	90657	90684	90716	D1783
90623	90658	90685	90723	Q2034
90624	90660	90686	90732	Q2037
90630	90661	90687	90733	Q2038
90632	90662	90688	90734	Q2039
90633	90664	90689	90736	
90634	90670	90694	90739	
90636	90672	90696	90740	
90644	90673	90697	90743	
90647	90674	90698	90744	
90648	90675	90700	90746	

Preventive Immunization / Vaccine Administration and Vaccine Counseling code table

CPT/HCPCS	CPT/HCPCS	CPT/HCPCS
90460	90472	D1301
90461	90473	G0008
90471	90474	G0010
96380	96381	

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

Policy Guidelines

The appropriate preventive service codes should be billed when preventive services are performed. Unless limitations are noted above, services are available as appropriate.

Over the counter (OTC) medications are not a covered benefit.

The AMA/CPT has created Modifier 33 for preventive services. BSC recognizes this modifier for claims billed for preventive services as outlined in this policy and will process accordingly.

Effective for claims with dates of service on or after January 1, 2018, prolonged preventive services will be payable by Blue Shield when billed as an add-on to an applicable preventive service, and both deductible and coinsurance do not apply.

Blue Shield will apply correct coding rules from industry standard sources such as;

Center for Medicare & Medicaid Services (CMS) and American Medical Association (AMA), to the claims adjudication process.

The materials provided to you are guidelines used by this plan to authorize, modify, or deny care for persons with similar illness or conditions. Specific care and treatment may vary depending on individual need and the benefits covered under your contract. These Policies are subject to change as new information becomes available.

Medical Policy Application

For most services, a medical necessity determination by Blue Shield according to medical policy is not required. The services that require determination of medical necessity are noted in the Policy Section above.

Definitions

Asymptomatic: Having no symptoms.

Medically Necessary: A treatment, procedure or drug is medically necessary only when it has been established as safe and effective for the symptoms or diagnosis, is not investigational or experimental, is not being provided primarily for the convenience of the patient or the provider and is provided at the most appropriate level to treat the condition.

Rationale & References

Covered preventive health services are based on the recommendations of:

- The United States Preventive Services Task Force (USPSTF) in “The Guide to Clinical Preventive Services”. <http://www.ahrq.gov/clinic/uspstfix.htm#pocket>

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines. <https://www.hrsa.gov/womensguidelines2016/index.html>
- The Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC). <http://www.cdc.gov/vaccines/acip/index.html>
- The U.S. Department of Health and Human Services, Health Resources and Services Administration (HRSA) comprehensive guidelines for infants, children, adolescents, and women. <http://mchb.hrsa.gov/>
- USPSTF Published Recommendations, Index: <http://www.uspreventiveservicestaskforce.org/BrowseRec/Index/browserecommendations>
- American Academy of Pediatrics / Bright Futures / Recommendations for Pediatric Preventive Healthcare. (For ages 0-21) <https://brightfutures.aap.org/materialsandtools/PerfPrevServ/Pages/default.aspx>

Policy History

This section provides a chronological history of the activities, updates and changes that have occurred with this Benefit Policy.

Effective Date	Action	Reason
10/1/2010	New Policy adoption	Preventive Health Guidelines
1/1/2011	Coding Update	Administrative Review
2/22/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
5/25/2011	Coding Update	Administrative Review
7/1/2011	Coding Update	Administrative Review
7/22/2011	Coding Update	Administrative Review
9/1/2011	Criteria Revised to align with USPSTF recommendations	Administrative Review
1/6/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
7/1/2012	Clarification of effective date	Administrative Review
7/17/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

8/1/2012	Criteria Revised to align with USPSTF recommendations	Administrative Review
10/31/2012	Criteria Revised to align with USPSTF recommendations, coding update	Administrative Review
3/1/2013	Added link for ACIP guidelines	Administrative Review
6/15/2013	Coding Update	Administrative Review
9/1/2013	Criteria Revised to Align with USPSTF recommendations, coding update	Administrative Review
1/1/2014	Coding Update	Administrative Review
3/1/2014	Coding Update	Administrative Review
4/11/2014	Coding Update	Administrative Review
5/1/2014	Coding Update	Administrative Review
7/15/2014	Coding Update	Administrative Review
9/30/2014	Coding Update	Administrative Review
1/15/2015	Criteria added for Aspirin and CVD Risk Factors to Align with USPSTF, coding update	Administrative Review
4/30/2015	ICD-10 codes added in the policy, & 2015 code updates	Administrative Review
5/8/2015	ICD-9 and ICD-10 codes updated for "Behavioral Counseling for Prevention of CVD"	Administrative Review
8/19/2015	Aligned the policy in accordance with USPSTF Preventive Benefits Changed title from "Preventive Health Services Including Women's Preventive" Explained age criteria for Developmental Screening Added 2016 New Code 0403T to Behavioral Counseling for CVD	Administrative Review
10/30/2015	Added G0464 to Colorectal Cancer Screening	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

3/1/2016	<p>Anemia – Added 80081 BRCA Mutation – Added 81162 Colorectal CA Screening - Replaced G0464 with 81528 Contraception - Added J7297, J7298 and removed J7302. Diabetes Mellitus – Added 83036, ICD-9 Dx (278.00, 278.01, 278.02, 278.03), and ICD-10 Dx (E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9) Gestational DM – Added 83036 Hepatitis B (Pregnant) – Added 80081 HIV – Added 80081 and G0475 HPV – Added G0476 Lung Cancer Screening – Added G0296, G0297 and V15.82 Rh (D) – Added 80081 Syphilis – Added 80081 Visual Impairment – Added 99177 Immunizations - Removed 90645, 90646, 90669, 90703, 90704, 90705, 90706, 90708, 90712, 90719, 90720, 90721</p>	Administrative Review
----------	---	-----------------------

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

4/1/2016	<p>Annual Health Appraisal – Updated Dx V19.2 Autism: Changed Age criteria to 18- and 30-months Behavioral counseling for prevention of CVD: ICD-10 codes and CPT codes updated Breastfeeding: E0604 removed from coverage as preventive Colorectal CA Screening – Added 45349, 45390 and Dx codes Z80.0, Z83.71, Z83.79, Z85.038, Z86.010 Contraception – Removed A4264 Diabetes: Added 82950 and 82951 Tuberculosis: Removed children as criteria Pregnancy diagnosis code table added: Applies to Anemia screening, Asymptomatic bacteriuria, Chlamydia infection, Syphilis, Gonorrhea, gestational diabetes, Hepatitis B virus, Rh (D) incompatibility Screening Diabetes Diagnosis code Table added: Applies to Behavioral counseling for CVD Atherosclerosis diagnosis code table added: Applies to Behavioral counseling for CVD Lung Cancer: S8032 Removed effective 09.30.2016. Syphilis Screening: ICD-10 code updates Tobacco Cessation: Updated guideline for 2015. Sexually Transmitted Infection: ICD-10 Code updates Pregnancy Diagnosis Table: ICD-10 Code updates Diabetes Diagnosis Table: ICD-10 code updates Immunizations – Added 90674, 90682, 90750 effective 01.01.2017</p>	Administrative Review
7/1/2017	<p>Aspirin Use to Prevent Cardiovascular Disease and Colorectal Cancer: Preventive Medication - NEW USPSTF recommendation for aspirin use in adults 50-59 years with risk factors such as CVD or CRC Colorectal Cancer Screening: G0464, 81528 applicable to all LOBs. Chlamydia Screening - Added ICD-10 code updates Gonorrhea Screening- Added ICD-10 code updates Hepatitis C Screening – Added ICD-10 code updates HIV Screening – Added ICD-10 code updates Syphilis Screening - NEW USPSTF recommendation for asymptomatic, nonpregnant</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	adults and adolescents who are at increased risk for syphilis infection Tuberculosis Screening: NEW USPSTF recommendation for latent tuberculosis infection in population at increased risk Behavioral Counseling for CVD: ICD-10 codes removed.	
1/1/2018	Breast Cancer Mammogram: G0202 expired. Contraception: J7296 added. Colorectal Cancer Screening: 00810 expired, 00811 and 00812 added Lead Screening: Age criteria and diagnosis codes updated Annual Health Appraisal: 99401, 99402, 99403, 99404, 99411, 99412 added Behavioral Counseling Interventions - CVD: Age criteria added. ICD-10 code added back to Policy which got omitted in last update. USPSTF ACIP: 90756 added Add-on Codes: G0513 and G0514 added.	Administrative Review
4/1/2018	Pre-Eclampsia Screening-new requirement. USPSTF-screening using blood pressure measurement throughout prenatal visits Skin Cancer-Behavioral Counseling: Age criteria updated (6months to 24 years) Immunization appendix: 90682 is FDA approved now. * removed from code in table Immunization: Link updated Fall Prevention: Removed Vitamin D supplementation language per USPTF	Administrative Review
7/11/2018	Breast Pump-remove home grown code of Z0012	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

10/1/2018	<p>Cervical Cancer Screen—remove 88154 (deleted 1/1/2018)</p> <p>Behavioral Counseling for Prevention of CVD—Remove G0447-not appropriate for this benefit</p> <p>Obesity Screening—Removed G0446</p> <p>Breastfeeding Counseling-Remove Homegrown code of Z0012</p> <p>Colorectal Screening-added G0500, 00813, 99152, 99153</p> <p>Hepatitis B-Pregnant-Added 86704, 86705, 86706</p> <p>Depression-Added Dx Codes-Z13.31</p> <p>Autism-Added DX code Z13.41</p> <p>Domestic and Interpersonal Violence- Added Z04.81</p> <p>Pregnancy Diagnosis Table: ICD-10 code updates.</p>	Administrative Review
10/1/2019	<p>Asymptomatic Bacteriuria—CPT Code 36415 was removed-not appropriate for this benefit</p> <p>Autism—CPT code 99381 and 99391 were removed— not appropriate for this benefit</p> <p>BRCA Mutation Testing—CPT codes 81211, 81213, 81214 removed-deleted as of 1/1/2019. CPT codes 81163, 81164, 81165, 81166, 81167 added-new codes.</p> <p>Cervical Cancer (Pap smear) Screen—New language added to benefit-age criteria broken into 2 different age groups. New ICD-10 codes added-- Z12.72, Z12.79, Z12.89, Z72.51, Z72.52, Z72.53, Z77.21, Z77.29, Z91.89, Z92.89.</p> <p>New CPT code added-87624. New HCPCS code added-G0476. New Revenue Codes added—0300, 0301, 0306</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

<p>05/01/2019</p>	<p>Chlamydia (STD) Infection—CPT code 36415 removed-not appropriate for benefit Gonorrhea (STD)—CPT code 36415 removed-not appropriate for benefit Lipid Disorders—New ICD-10 code Z13.6 added. New CPT code 83722 added Osteoporosis Screening—CPT code 77085 added. Pregnancy Diagnosis Table: ICD-10 code updates. Annual Health Appraisal-Added language to reflect hearing loss in adults. Added age parameters of 3 years of age, for 99173. Removed G0402, 99172, 99497, 99498, 92558-these codes are not appropriate for category. 92551, 92552, 92553—age updated to reflect 18 years and older. Added-revenue code 0770 Abdominal Aortic Aneurysm—title updated to include screening. Added revenue code 0770 Alcohol Use—title update to “Unhealthy Alcohol Use in Adolescents and Adults: Screening and Behavioral Counseling Interventions. Updated age to reflect 12 years and older, instead of 18. Removed Z13.89. Added G2011-new code Anemia-updated words “21 years of age”. Added 85013-new code Aspirin-title updated “Aspirin Use to Prevent CVD and Colorectal Cancer: Preventive Medication.” Language updated to reflect USPSTF language. Removed the pregnancy language- moved to new Preeclampsia category Asymptomatic Bacteriuria-title updated to include “in Adults.” Added language to reflect “Pregnant adolescents ages 12 years and older” Autism-updated age to reflect 0 to 3 years of age (instead of months). Added language for screening at 9 months and 18 months visits. Removed CPT codes 99382 and 99392-not appropriate. Added CPT code 96110 Behavioral Counseling for Preventive of CVD-title updated to “Healthful Diet and Physical Activity for Cardiovascular Disease preventive in Adults with Cardiovascular Risk. Factors: Behavioral</p>	<p>Administrative Review</p>
-------------------	---	------------------------------

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Counseling.” Removed G0270, G0271, 0403T, S9470-not appropriate. Remove rev codes 0914, 0915, 0916-not appropriate</p> <p>Blood Pressure-title updated to include “High Blood Pressure Screening-in Adults.”</p> <p>Removed revenue codes 0480, 0920, 0969, 0983</p> <p>Breast Cancer Mammogram-title updated to include “Breast Cancer Screening: Mammogram.”</p> <p>Breastfeeding-language updated to reflect “Lactation support services are inclusive in maternal care visits and annual health appraisal.</p> <p>Removed listed ICD-10 DX codes updated to reflect “ALL” DX codes.</p> <p>Removed 99201,99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412-not appropriate. Removed revenue codes 0271, 0272-not appropriate</p> <p>BRCA Mutation Testing—title update to include “BRCA-Related Cancer: Risk Assessment, Genetic counseling, and Genetic Testing. Language updated to reflect USPSTF language. CPT codes 81432 and 81433 added-new codes.</p> <p>Chemoprevention of Breast Cancer-title updated to “Breast Cancer: Medications for Risk Reduction.”</p> <p>Language updated to reflect USPSTF language.</p> <p>Chlamydia (STD) Infection-added “years” to age 24. Add asymptomatic to sexually active, per USPSTF and added “years” to age 25.</p> <p>Cervical Cancer (Pap Smear) Screen-title updated to “Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening. Combined the criteria of both cervical cancer and HPV-into one category.</p> <p>Colorectal Cancer-removed CPT code 88304-not appropriate.</p> <p>Contraception-updated reproductive capacity language “Adolescents and adult).</p> <p>Updated contraceptive care language to reflect USPSTF language. Depression-added new language regarding perinatal depression to reflect USPSTF language. Blood Pressure-title updated to include “High Blood Pressure Screening-in Adults.”</p>	
--	---	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Removed revenue codes 0480, 0920, 0969, 0983 Breast Cancer Mammogram-title updated to include “Breast Cancer Screening: Mammogram.” Breastfeeding-language updated to reflect “Lactation support services are inclusive in maternal care visits and annual health appraisal. Removed listed ICD-10 DX codes updated to reflect “ALL” DX codes. Removed 99201,99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412-not appropriate. Removed revenue codes 0271, 0272-not appropriate BRCA Mutation Testing—title update to include “BRCA-Related Cancer: Risk Assessment, Genetic counseling, and Genetic Testing. Language updated to reflect USPSTF language. CPT codes 81432 and 81433 added-new codes. Chemoprevention of Breast Cancer-title updated to “Breast Cancer: Medications for Risk Reduction.” Language updated to reflect USPSTF language. Chlamydia (STD) Infection-added “years” to age 24. Add asymptomatic to sexually active, per USPSTF and added “years” to age 25. Cervical Cancer (Pap Smear) Screen-title updated to “Cervical Cancer (Pap smear) Screen, including Human Papillomavirus (HPV) Screening. Combined the criteria of both cervical cancer and HPV-into one category. Colorectal Cancer-removed CPT code 88304-not appropriate. Contraception-updated reproductive capacity language “Adolescents and adult). Updated contraceptive care language to reflect USPSTF language. Depression-added new language regarding perinatal depression to reflect USPSTF language. Abnormal Blood Glucose and DM Screening-removed the 18 years of age criteria and DX codes— not appropriate. Removed 83036 with DX Z00.00, Z00.01, Z01.411, Z01.419, Z13.1 Domestic and Interpersonal Violence-title updated</p>	
--	--	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>to “Intimate Partner Violence, Elder Abuse, and Abuse of Vulnerable Adults Screening.” Added language that these services will pertain to individuals 12 years and older.</p> <p>Added DX codes Z69.010, Z69.81. Removed CPT code 90792, 97802, 97803, 97804, G0270, and G0271-not appropriate.</p> <p>Fall Prevention-updated language to reflect exercise interventions. Removed physical therapy language. Gestational Diabetes-added language to reflect Asymptomatic pregnant individuals. Added language to reflect 2 screenings per pregnancy. Gonorrhea added language to reflect asymptomatic individuals.</p> <p>Gonococcal Ophthalmia Neonatorum-title updated to reflect “Ocular Prophylaxis for Gonococcal Ophthalmia Neonatorum: Preventive Medication. Language updated to reflect “For prevent” and removed “for.”</p> <p>Hear loss—title updated to reflect “Screening for Hearing Loss in Children,” per USPSTF. Added language under newborn typically administered during the initial hospital newborn care. Added language children and adolescents 0 to 18 years-Pure tone audiometry and tympanometry.</p> <p>Added DX codes Z82.2, Z00.121, Z00.129. Added CPT codes 92552 and 92567. Hepatitis B Virus. Added G0499 and revenue code 0770.</p> <p>Hepatitis C Virus-Language updated to reflect “This is a one-time screening, for adults born between 1945 and 1965. Added revenue code 0770. Removed revenue codes 096X, 097X, 098X.</p> <p>Human Immunodeficiency Virus (HIV)Language added to reflect “Pregnant individuals, including women who present in labor and are untested.” Remove DX code Z71.7-not appropriate. Revenue code added-0770</p> <p>Lipid Disorder-removed ICD-10 DX codes and CPT procedure, and revenue codes (category inactive by USPSTF 2008).</p> <p>Lung Cancer-removed procedure codes 0174T, 0175T, 71250, 71260, 71270, S8092-not appropriate.</p> <p>Obesity Screening-title updated to reflect “Obesity in Children and Adolescents: Screening.” Removed</p>	
--	--	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>the adult criteria and formed a new category per USPSTF. Language updated to reflect “Screening for obesity in children and adolescents.” Removed DX codes-Z00.00, Z00.01, Z01.411, Z01.419, Z01.42—not appropriate for children. Removed 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397, G0473not appropriate</p> <p>Osteoporosis Screening-language changed from “less” to “younger” for age 65.</p> <p>Revenue code 0770 added. Added CPT codes 78350 and 78351.</p> <p>PKU-Added CPT code 36416</p> <p>New Category-Pre-Eclampsia: Screening. Created a new category to separate the information on pre- eclampsia from high blood pressure-Per USPSTF recommendation. No new information added.</p> <p>Sexually transmitted infections/disease-title updated to reflect “STI/STF Behavioral counseling. Added language to reflect “adolescents (younger than age 25 years). Removed DX code Z71.7-not appropriate.</p> <p>Skin Cancer-title updated to reflect “Skin Cancer Prevention: Behavioral Counseling.” Language added to reflect “young adults, adolescents, children, and parents of young children.” Updated language to reflect “24 years”.</p> <p>Syphilis Screening-removed CPT codes 87205, 87210, 87800, and 87801-not appropriate.</p> <p>Tobacco Screening-title updated to reflect “Tobacco Smoking Cessation in Adults, Including Pregnant Women: Behavioral and Pharmacotherapy Interventions.” Updated language to reflect USPSTF language.</p> <p>Removed DX codes F17.201, F17.211, F17.221, F17.291, Z13.83-not appropriate.</p> <p>Tobacco Use in Children and Adolescents split tobacco into Adults and Children. Added the language to Children section, added DX codes and procedure codes. Tuberculosis Screening-title updated to reflect “Latent Tuberculosis Screening.” Removed DX codes R76.11, R76.12-not appropriate. Remove CPT code 36415-not appropriate. Removed revenue codes-not appropriate</p> <p>Visual Impairment-change the age parameters to 3</p>	
--	---	--

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>to 18 years. Added DX codes Z76.1, Z76.2. Remove CPT code 99172, 99381, 99382, 99391, 99392.</p> <p>New Category—Weight Loss to Prevent Obesity-Related Morbidity and Mortality in Adults: Behavioral Interventions. No new information added- just split obesity category into separate categories per USPSTF recommendations.</p>	
7/1/2019	<p>Fall Prevention-added CPT codes 97110, 97112, 97113, 97116, 97150, 97161, 97162, 97163, 97164, 97530, G0151, G0157, G0159, S8990, S9131</p> <p>Newborn Screening Panel-new category. Added language to reflect HRSA requirements—no coding work</p> <p>BRCA-Added 0102U and 0103U-new codes effective July 1, 2019</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

<p>8/15/2020</p>	<p>Annual Health Appraisal-Remove CPT codes 92551, 92552, 92553, 92558, 99497, 99498, (G0101, G0438, G0439-not commercial related-MCR)</p> <p>Unhealthy Alcohol Use-Remove DX code Z71.42. Remove CPT codes 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397 Autism Screening-Removed DX code F84.0, F84.9, and Z13.89.</p> <p>Healthful Diet/CVD Prevention- Removed DX code Z13.220, Z71.3, Z72.4, Z87.891. BRCA- Removed DX code Z71.83, not appropriate.</p> <p>Cervical CA-Removed DX code Z12.79 and Z12.89. Removed CPT code 88155. Removed several DX/CPT combinations-not appropriate combinations.</p> <p>Chlamydia and Gonorrhea-Removed CPT codes 86631, 86632, 87081, 87800, 87801, 36415. Removed Revenue code 0302.</p> <p>Colorectal Cancer- Removed CPT code 45334, 45340, 45341, 45342, 45346, 45347, 45349, 45379, 45382, 45386, 45388, 45389, 45390, 45391, 45392, 88304.</p> <p>Dental caries-Removed DX code Z41.8, Z00.121, and Z00.129.</p> <p>Depression- Removed CPT code 99401, 99402, 99403, 99404.</p> <p>Development/Behavioral Disabilities- Removed CPT code 96127. Diabetes Mellitus Type 2- Removed DX code E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9.</p> <p>Removed CPT code 82948, 82950, 82951, 82952.</p> <p>Hepatitis C-Updated language to reflect USPSTF recommendations. Removed DX codes-not needed as qualifier. Removed Revenue Code 0390.</p> <p>High Blood Pressure-Removed R03.0</p> <p>Human Immunodeficiency (HIV)-Removed DX code Z11.9 and Z77.21.</p> <p>Intimate Partner Violence, Abuse-Removed DX code Z04.81 and Z69.010.</p> <p>Obesity in Children- Removed DX code Z71.3.</p> <p>Osteoporosis- Removed CPT code G0130.</p>	<p>Administrative Review</p>
------------------	---	------------------------------

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Syphilis Screening-Removed CPT 87081 Pregnancy DX Table-Removed several DX codes.</p>	
<p>11/7/2020</p>	<p>Unhealthy Alcohol use in Adults-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Adolescent Alcohol and Substance Use Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529. Asymptomatic Bacteriuria-Added Rev codes 0307. Breastfeeding-Added HCPCS code K1005. BRCA-Added CPT code 0138U. Breast Cancer-Meds—Removed DX code Z85.3. Chlamydia (STD)-Added CPT code 87563. Colorectal CA-Added DX codes K51.40, K62.0, K62.1, added CPT code 74280. Depression-Adjusted language to align better with USPSTF recommendation (No code changes) Diabetes Mellitus-Added DX codes Z86.32, E28.2 Hepatitis B-Added DX code Z11.3 Hepatitis C-Updated language to align with the USPSTF recommendation. Removed all DX codes (Z00.00, Z00.01, Z01.411, Z01.419, Z20.5, Z72.89, Z77.21, and Preg)-test is now open to anyone age 18 to 79. High Blood Pressure-Added CPT codes 99473, 99474 HIV-Removed DX code Z77.21-not appropriate. Added CPT code 99401, 99402, 99403, 99404. Updated language to align with USPSTF recommendation. Intimate Partner Violence-Removed DX code Z69.010 STI/STD-Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529 Tobacco in Adults—Added DX codes Z71.6, O99.330, O99.331, O99.332, O99.333. Added Rev codes 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0523, 0529.</p>	<p>Administrative Review</p>

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Tobacco in Children and Adolescents Added DX code Z71.6. Added Rev codes 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529.</p> <p>Tuberculosis-Added Rev code 0519.</p> <p>Unhealthy Drug Use: Screening-New Category Effective June 2020—Added language, Added DX codes, Added CPT codes, Added Rev codes.</p> <p>Visual Impairment-Added DX codes H53.001, H53.002, H53.003, H53.009.</p>	
<p>8/21/2021</p>	<p>Annual Health Appraisal-Added HCPCS code G0101</p> <p>Abnormal Blood Glucose and DM Type 2 Screening-combined the criteria into one category per Task Force (breakout of criteria from Healthful Diet category). Updated the DX codes and CPT codes. Added CPT codes 0403T & 0488T. Removed CPT codes 97801, 97802, 97803-placed these codes under Healthful Diet category.</p> <p>Unhealthy Alcohol Use Adults-Added revenue codes 0510, 0514, 0515, 0517, 0519, 0521, 0523, 0529</p> <p>Adolescents Alcohol and Substance Use: Screening-Added DX codes F11.10, F11.20, F12.10, F12.20, F12.90, F14.10, F14.20, F18.10, F18.90, F19.10, F19.20, F55.8, to align with Bright Future.</p> <p>HPV Screening-Added CPT code 0500T. Cervical CA Screening/HPV Screening- updated age range to reflect 21-999 yrs for G0476.</p> <p>Contraception-Removed Rev codes 0450, 0451, 0452, 0456, 0459, 0516, 0526 from several CPT codes as the procedures were not removal of contraception.</p> <p>Colorectal CA Screening—Added CPT 74280, Modifier 33 to CPT code 82274, updated the intervals for 00811, 00812, 00813, 45330, 45331, 45332, 45333, 45335, 45338, 45378, 45380, 45381, 45384, 45385, 88305, 99152, 99153, J0300, J2175, J2180, J2250, J2704, J3010, J3360, G0105, G0500, S0285, Removed Rev code 0514 (not</p>	<p>Administrative Review</p>

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>appropriate), Depression-Removed DX code Z13.89 (too vague), added language for 96127 to reflect Z13.31, Z13.32, & Z13.39 only allowable codes for 96127. Dental Caries/Oral Fluoride-added Dx Codes Z29.3, Z91.841, Z91.842, Z91.843, Z91.849 based on Bright Futures guidelines Fall Prevention-Added Rev Codes 0424, 0510, 0517, 0519, 0520, 0521, 0523, 0529. Healthful Diet to Prevent CVD-updated the language to reflect Task Force recommendations (breakout of criteria involving DM Type 2 and Weight Loss Adults). Removed several DX codes (E66.01, E66.09, E66.1, E66.2, E66.3, E66.8, E66.9, F17.200, F17.201, F17.203, F17.208, F17.209, F17.210, F17.211, F17.213, F17.218, F17.219, F17.220, F17.221, F17.223, F17.228, F17.229, F17.290, F17.291, F17.293, I25.10, I25.110, I25.111, I25.118, I25.119, I25.700, I25.701, I25.708, I25.709, I25.710, I25.711, I25.718, I25.719, I25.720, I25.721, I25.728, I25.729, I25.730, I25.731, I25.738, I25.739, I25.750, I25.751, I25.758, I25.759, I25.760, I25.761, I25.768, I25.769, I25.790, I25.791, I25.798, I25.799, I25.810, I25.811, I25.812, N262., O10.02, O10.03, O10.12, O10.13, O10.22, O10.23, O10.32, O10.33, O10.42, O10.43, O10.92, O10.93, O24.419, O24.429, O24.439, O99.810, O99.814, O99.815, R73.01, R73.02, R73.03, R73.09, R73.9, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z72.0, Z86.32) and CPT codes (G0447, G0473, 0403T, 0488T). Added language to reflect that DX codes E78.2, E78.3, E78.41, E78.49, E78.5, E78.6 & E88.81 are the only allowable DX codes for 97802, 97803 & 97804. Added Rev Codes 0520, 0521, 0523, 0529. Updated age to reflect 18 to 999 yrs to align with task force age range change. Hepatitis C Virus-Added DX codes Z00.00 & Z00.01. Removed Dx Code N/A. High Blood Pressure Screening-Removed DX codes Z00.00 & Z00.01. Added DX code R03.0. Lung Cancer-Added new CPT code 71271, removed G0297 (deleted 1/2021) Obesity in Children and Adolescents-Removed DX</p>	
--	--	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>code Z13.89-too vague Osteoporosis Screening-Added CPT codes 0554T, 0555T, 0556T, 0557T. Prostate CA Screening-updated age range to reflect 40-999 yrs Tobacco Use in Children-updated age to reflect 5 to 999 yrs. Weight Loss Adults-Updated the language to reflect Task Force recommendations (breakout of criteria from Healthful Diet category). Updated the age to reflect 18 and older. Added several DX codes (E66.01, E66.09, E66.1, E66.2, E66.8, E66.9, O99.210, O99.211, O99.212, O99.213, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45) and CPT codes (99385, 99386, 99387, 99395, 99396, 99397, 99401, 99402, 99403, 99404, 99411, 99412, G0447, G0473) to reflect new criteria. Added Rev Codes 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529. Updated age range to reflect 18 – 999 yrs based on the code changes-criteria change by task force. Immunizations-Added CPT codes 90476, 90477, 90667, 90689, 90694</p>	
<p>12/29/2021</p>	<p>Cervical Cancer/HPV Screening – updated age to reflect 12 to 65 years of age, updated intervals to reflect 1 every 3 years for all codes, added DX codes Z00.121, Z00.129, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.2, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, Z791.89, Z86.001 Hepatitis B – added revenue codes 0300, 0301, 0302, 0306, 0309, 0390, 0770 to CPT code G0499 and 36415, added DX code Z00.121, Z00.129, Z11.4, Z20.2, Z20.5, Z20.9. Hepatitis C – added DX codes Z11.3, Z20.6, Z20.2, Z20.5, Z72.51, Z72.52, Z72.53, Z11.59 to several CPT codes. HIV – Updated age to reflect 0-999 Yrs, added CPT codes 80081, 87534, 87535, 87536, 87537, 87538, 87539, 86689, 86701, 86702, 86703, 87389, 87390, 87391, 96372, J3490, added DX code Z71.7, Z77.21, Z20.5, Z72.51, Z72.52, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate. PrEP - added CPT code 96372 and</p>	<p>Administrative Review</p>

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>J3490, added DX cod Z71.7, added revenue code 0770, removed DX code Z22.8 and Z22.9-not appropriate. STI/STD – removed DX code Z71.89, added DX codes Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.6, Z20.9, Z72.89, Z77.21, Z77.9, added revenue code 0770</p>	
2/26/2022	<p>Alcohol Misuse – Added DX code Z81.3, added revenue codes 0770, updated intervals, removed DX code Z11.20 with G0396 and G0397-not appropriate for category. Anemia— updated age to reflect 0 to 19 years of age, per legal, added Revenue code 0770. Asymptomatic Bacteriuria – added revenue code 0770</p> <p>Autism Screening – added DX codes G93.40, G93.9, R29.898 per Bright Futures, added revenue code 0770</p> <p>BRCA – Added DX codes Z80.8, Z80.0, Z80.42, Z80.49, Z80.51, Z85.07, Z85.46, Z85.520, Z15.03, Z15.04, Z86.000, added revenue code 0770, updated age for 0138U to reflect 0-999 yrs. Breast Cancer (Chemoprevention) – Added revenue code 0770 Breast Cancer (Mammogram) – Added revenue code 0770.</p> <p>Cervical CA/HPV screening – interval update for HPV codes 87623, 87624, 87625, G0476, 0500T (missed by FACETS in Dec 29, 2021 implementation), age update, added revenue codes 0500, 0509</p> <p>Chlamydia – Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z70.8, Z71.7, Z72.89, Z77.21, Z77.9, added revenue code 0301, 0302, 0305, 0770.</p> <p>Colorectal cancer screening— updated intervals, removed DX codes Z00.00, Z00.01, Z01.411, Z01.419, 88305 adjusted to reflect modifier 33 and PT only, added revenue codes 0361, 0369, 0499, 0761, 0769, 0770.</p> <p>Contraception – Added CPT codes 58661, 58700, J7294 and J7295-per medical directors. Depression – Added CPT code S3005, added revenue code 0770. Screening for Prediabetes and Type 2 DM – added DX codes E66.2, E66.3, E66.8, E66.9,</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Z83.3, Z13.1, Z86.32, , Z86.32, R73.01, R73.02, R73.03, R73.09, R73.9, E28.2, added CPT code 82947, added revenue code 0770, removed DX code O99.810 not appropriate for category. Fall Prevention- Added revenue code 0770. Gestational Diabetes – Updated age to reflect 12 to 999 yrs for DX Pregnancy DX table, added DX code Z86.32, added CPT code 82950. Gonorrhea – Added CPT codes 87660, 87661, and 87808, added revenue code 0770. Hep B Screening – Added DX codes Z20.2, Z20.5 to non-pregnant criteria Hep C Screening – Added DX code Z72.89, Z00.00 and Z00.01 to CPT code 86803 Hearing Loss Screening – Added CPT code 92652. Intimate Partner – Updated age to reflect 0999 Yrs for DX code Z01.411 and Z01.419 with CPT code 99403 and 99404 revenue code 0528. Lead Screening – updated age to reflect 0-19 Yrs, per Legal. Obesity in Children and Adolescents: Screening– Added revenue code 0515 to DX codes Z68.53 and Z68.54 for CPT code 99383. Prevention of Dental Caries – Added revenue code 0770. Rh (D) – updated age to reflect 12-999 Yrs for Pregnancy DX code with CPT code 36415 with revenue code 0300 Sexually Transmitted Infection – Updated age to reflect 0-999 Yrs for DX code Z20.2 with CPT code 99402, 99403, 99404, added revenue code 0770. Screening for Diabetes Mellitus After Pregnancy – added category, added DX codes Z13.1, Z86.32, O99.815, R73.01, R73.02, R73.03, R73.09, added CPT codes 82946, 82947, 82948, 82950, 82951, 82952, 83036, 36415, added Revenue codes 0300, 0301, 0309, 0770 Syphilis Infection Screening – Added DX codes Z11.4, Z11.59, Z20.5, Z20.6, Z20.9, Z57.8, Z71.7, Z77.21, Z77.9 Tobacco Screening – Updated age to reflect 5-999 Yrs, added revenue code 0770, removed DX code Z00.121 and Z00.129 for CPT code 99406 and 99407 Unhealthy Drug – Added revenue code 0770 Immunization – Added Rabies vaccines 90671, 90675, 90676, added Hepatitis B new code 90759.</p>	
--	---	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

8/6/2022	Breast Cancer (Mammogram) – removed intervals for the add on code 77063	Administrative Review
9/28/2022	<p>Adverse Childhood – New category – added DX codes Z59.41, Z59.48, Z59.811, Z59.812, Z59.819, Z62.21, Z62.22, Z62.810, Z62.811, Z62.812, Z62.813, Z62.819, Z62.820, Z62.821, Z62.822, Z63.0, Z63.31, Z63.32, Z63.4, Z63.5, Z63.71, Z63.72, Z63.79, Z63.8, Z63.9, Z64.0, Z64.1, Z65.0, Z65.4, Z65.5, Z69.010, Z69.020, Z69.11, Z69.81, Z72.51, Z72.52, Z72.53, Z81.1, Z81.3, Z81.4, Z81.8, Z86.51, Z86.59, Z91.42, Z91.49, Z91.51, Z91.52 and procedure codes G9919, G9920, added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0918</p> <p>Anemia – updated age to reflect 0-19 yrs, added revenue codes 0301, 0306, 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770</p> <p>Autism Screening/Development–added revenue codes 0500, 0509, 0522</p> <p>Hepatitis B Virus – NonPregnant – updated age to reflect 0-999 yrs on CPT code 86704, 86705, 86706, 87340, 87341, and G0499 for DX code Z11.3</p> <p>Hepatitis B Virus – Pregnant – updated age to reflect 0-999 yrs. for DX code pregnancy on CPT code 36415</p> <p>Human Immunodeficiency Virus (HIV) – added CPT code 87806, added revenue codes 0500, 0509, 0522</p> <p>PrEP – added CPT code 96372, J3490, added revenue codes 0500, 0509, 0522</p> <p>Intimate Partner Violence – updated age on revenue code 0528</p> <p>Lipid Screening- updating age to reflect 40-75 yrs.</p> <p>Obesity in Children – updated age to reflect 618 yrs.</p> <p>Obesity Preventive in Midlife Women – new category – added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added CPT codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Newborn Screening (Phenylketonuria (PKU) – corrected age to reflect 28 days and younger on DX code Z13.228 (Sickle Cell Disease) – corrected age to reflect 28 days and younger on DX codes Z00.110, Z00.111, Z13.0</p> <p>Prevention of Dental Caries – updated age to reflect 6 months to 5 yrs. for DX code Z29.3 with CPT code 99188, added dx codes Z00.121 and Z00.129.</p> <p>Prostate Cancer – updated age to reflect 40-999 yrs.</p> <p>Screening for Lung Cancer – updated age to reflect 50-80 yrs. on procedure code G0296 for DX code Z12.2, Z87.891</p> <p>Sexually Transmitted Infections/ Diseases (STI/STD) – updated age to reflect 0-999 yrs., added revenue codes 0500, 0509, 0522</p> <p>Syphilis Infection – updated age to reflect 0-999 yrs., added revenue codes 0500, 0509, 0510, 0514, 0515, 0516, 0517, 0519, 0520, 0521, 0529, removed DX code Z71.7, removed revenue code 0311</p> <p>Tobacco Use in Children – updated age to reflect 5 to 18 yrs., added revenue codes 0500, 0509, 0522</p> <p>Tobacco Smoking Cessation – updated age to reflect 18-999 yrs. on non-pregnant individuals, added revenue codes 0500, 0509, 0522</p> <p>Latent Tuberculosis – updated age to reflect 0- 999 yrs., added revenue codes 0500, 0509 Unhealthy Drug Use – added DX code Z71.51, added revenue codes 0500, 0509, 0522</p> <p>Visual in Children – updated age to reflect 3-999 yrs., added revenue codes 0500, 0509, 0514, 0770</p> <p>Weight loss to prevent obesity – added revenue codes 0500, 0509, 0522</p>	
--	---	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

10/26/2022	<p>BRCA – Added revenue codes 0500, 0509, 0522, 0780</p> <p>Chlamydia/Gonorrhea – Added CPT codes 86631, 86632, 87800, added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Depression Adults – Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522</p> <p>Depression Children - Updated language to reflect suicide risk screening, added DX codes Z91.51, Z91.52, added revenue codes 0500, 0509, 0522</p> <p>Perinatal Depression – Added DX codes Z13.31, Z13.32, added revenue codes 0500, 0509, 0522, 0780</p> <p>Healthful Diet – Added revenue codes 0500, 0509, 0522, 0780, verified that all coding reflected age 18 yrs. and older</p> <p>Hepatitis C – Added revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, updated age for Preg Dx to 12 yrs. and older</p>	Administrative Review
11/30/2022	<p>Breast CA (Chemoprevention)– Added revenue codes 0500, 0509, 0522, 0780</p> <p>Development Screening-Language updated to reflect Social, Emotional screening, added DX codes Z13.40, Z13.41, Z13.42, Z13.49, F88, F81.9, F89, G93.40, G93.9, R27.0, R27.8, R27.9, R62.0, R29.6, R29.818, R29.898, R29.90, R29.91 to procedure code 96127, revenue codes 0760, 0761</p> <p>Fall Prevention-Added revenue codes 0500, 0509, 0522</p> <p>Healthy Weight Pregnancy-Added revenue codes 0500, 0509, 0522, 0780</p> <p>Hearing Loss-Added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Obesity Preventive Midlife-New category added language, added DX codes Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, added procedure codes 99401, 99402, 99403, 99404, 99411, 99412, 99386, 99396, added revenue codes 0500,</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780</p> <p>Osteoporosis-added procedure codes 0743T, 0749T, 0750T</p> <p>Statin Use for CVD-added revenue code 0770</p> <p>Sudden Cardiac-New category-added language, added DX codes G71.00, I10, I20.0, I20.1, I20.8, I20.9, I34.0, I42.0, I42.1, I42.2, I42.5, I42.8, I42.9, I47.0, I47.1, I47.2, I47.9, I48.20, I49.01, I49.02, Q20.8, Q20.9, Q23.0, Q87.40, Q87.410, Q87.418, Q87.89, R00.0, R00.1, R00.2, R00.8, R00.9, R01.0, R01.1, R01.2, R03.0, R06.00, R06.02, R06.03, R06.09, R06.9, R07.1, R07.2, R07.82, R07.89, R07.9, R53.1, R55, Z13.6, Z14.8, Z15.89, Z36.83, Z79.01, Z79.52, Z82.41, Z82.49, Z82.69, Z83.42, Z84.81, Z84.89, Z86.74, Z86.79, Z95.0, added procedure codes 96160, 93000, 93005, 93010, added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0985</p> <p>Tobacco-added revenue code 0780</p> <p>Vision – age updated to reflect 3-999 yrs</p> <p>Weight Loss To Prevent Obesity-Added revenue code 0780</p>	
<p>February 8, 2023</p>	<p>Breastfeeding-Added counseling procedure codes 99401, 99402, 99403, 99404 with DX code Z39.1 and revenue codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0522, 0523, 0529, 0770, 0780</p> <p>Chlamydia/Gonorrhea-Removed revenue code 0522</p> <p>Healthful Diet CVD-Added revenue code 0780</p> <p>Intimate Partner Violence-Added DX code Z91.414, added revenue code 0780</p> <p>Obesity In Children-Added revenue code 0780</p> <p>Prevention of Dental Caries-Added DX codes Z00.121, Z00.129, added revenue codes 0500, 0509, 0510, 0512, 0515, 0517, 0519, 0520, 0521, 0523, 0529, 0770, 0982, 0983</p> <p>STI/STD-Added revenue code 0780</p> <p>Immunization-Added 90587</p> <p>Vision – age update to reflect 0-21 years</p>	<p>Administrative Review</p>

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

4/26/2023	Colorectal CA Screening- Added High risk DX Z85.060, Z85.068, C18.0, C18.2, C18.3, C18.4, C18.5, C18.6, C18.7, C18.8, C19, C20, C21.0, C21.1, C21.2, C21.8, C49.A3, C49.A4, C49.A5, C7A.021, C7A.022, C7A.023, C7A.024, C7A.025, C7A.026, C78.5, D01.0, D01.1, D01.2, D01.3, D12.0, D12.1, D12.7, D12.8, D12.9, D3A.021, D3A.022, D3A.023, D3A.024, D3A.025, D3A.026, D3A.029, D37.1, D37.2, D37.3, D37.5, D37.9, K50.011, K50.012, K50.013, K50.014, K50.018, K50.019, K50.111, K50.112, K50.113, K50.114, K50.118, K50.119, K50.811, K50.812, K50.813, K50.814, K50.818, K50.819, K50.911, K50.912, K50.913, K50.914, K50.918, K50.919, K51.011, K51.012, K51.013, K51.014, K51.018, K51.019, K51.211, K51.212, K51.213, K51.214, K51.218, K51.219, K51.311, K51.312, K51.313, K51.314, K51.318, K51.319, K51.411, K51.412, K51.413, K51.414, K51.418, K51.419, K51.511, K51.512, K51.513, K51.514, K51.518, K51.519, K51.811, K51.812, K51.813, K51.814, K51.818, K51.819, K51.911, K51.912, K51.913, K51.914, K51.918, K51.919, K52.0, K52.1, K52.89, K52.9, K57.20, K57.21, K57.30, K57.31, K57.32, K57.33, K57.40, K57.41, K57.50, K57.51, K57.52, K57.53, K57.80, K57.81, K57.90, K57.91, K57.92, K57.93, K62.6, K63.3, Z08, Z09, Z15.09. Z85.00, Z85.05, Z86.004, Z87.19, added procedure code J2251, added revenue code 0780	Administrative Review
6/13/2023	COVID-updated the language to reflect the end of PHE. Chlamydia, Gonorrhea, HIV, Syphilis-added home testing language-SB 306.	Administrative Review
7/26/2023	Annual health appraisal- Added DX code Z00.3, added revenue codes 0500, 0509, 0522, 0780 Adolescent Alcohol and Substance Use Screening- Added DX code F10.90, added revenue code 0780 Alpha-Fetoprotein – Added language to reflect category being retired Sept 2022 Prenatal Screening Program – Added language to reflect the new category Asymptomatic Bacteriuria – Added revenue codes 0500, 0509, 0510, 0514, 0515, 0517, 0519, 0520, 0521, 0523, 0529 Developmental/Autism and	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

	<p>Behavioral/Social/Emotional Screening – Adjusted age range to reflect 2.5 years/30 months of age</p> <p>Gestational DM – Updated category name to reflect Screening for Diabetes in Pregnancy per HRSA name change, added pregnant women to description language</p> <p>Intimate Partner Violence – Added revenue code 0522</p> <p>Newborn Screening – Added language for Bilirubin screening, added CPT codes 82247, 88720, added DX codes Z00.110, Z00.111, Z13.0, Z13.228, Z13.21, Z13.29, P07.01, P07.02, P07.03 to policy language, added revenue codes 0300, 0301, 0305, 0309, 0770 to policy language</p> <p>Screening for Anxiety – Updated language to reflect anxiety disorders in adults, including pregnant and postpartum, added clarifying age range for children, adolescents, and adults</p> <p>Screening for DM After Pregnancy – Updated category name to Screening for Diabetes After Pregnancy per HRSA update, added screening for type 2 diabetes to description language</p> <p>Unhealth Alcohol Use in Adults – Added DX code F10.90, added revenue codes 0500, 0509, 0522, 0780</p> <p>Pregnancy Diagnosis Table – Reformatted the table of DX codes</p> <p>Perinatal Depression Diagnosis Table – Reformatted the table of DX codes</p> <p>Vaccination code table – Reformatted the table of codes</p> <p>Administration code table – Reformatted the table of codes</p>	
--	---	--

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

8/30/2023	<p>Depression in Adults-Title updated to reflect “Depression and Suicide Risk in Adults: Screening”, language added “Clinicians should screen for major depression disorder in individuals who do not have a diagnosed mental health disorder or recognizable signs or symptoms of depression or suicide risk”</p> <p>Screening for Anxiety-language added “Conditions reviewed should include generalized anxiety disorder, social anxiety disorder, panic disorder, and anxiety not otherwise specified”.</p> <p>Screening for Diabetes in Pregnancy-added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Screening for Diabetes After Pregnancy added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529</p> <p>Screening for Prediabetes and Type 2 Diabetes Mellitus-added rev codes 0500, 0509, 0510, 0514, 0517, 0519, 0520, 0521, 0523, 0529, 0780</p>	Administrative Review
11/1/2023	<p>Contraception – Added DX codes T83.31XA, Administrative Review T83.31XD, T83.31XS, T83.32XA, T83.32XD, T83.32XS, T83.39XA, T83.39XD, T83.39XS, added procedure codes A4267, S0190, S0191, 0567T, 0568T, 76856, 81025, removed procedure code J7303, added rev codes 0307, 0500, 0509, 0780</p> <p>Healthful Diet – added DX codes E20.810, E88.811, E88.818, E88.819, added rev codes 0515, 0761, 0769</p> <p>Intimate Partner Violence – Added DX codes Z91.414, Z91.A41, Z91.A48, Z91.A51, A91.A58, A91.A91, A91.A98, added rev codes 0500, 0509, 0522</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

12/6/2023	<p>Adverse Childhood Experience (ACE) – Added DX codes Z02.84, Z55.6, Z59.10, Z59.11, Z59.12, Z59.19, Z62.814, Z62.815, Z62.823, Z62.831, Z62.832, Z62.833, Z62.892, Z91.410, Z91.411, Z91.412, Z91.419, Z91.85 added rev code 0780, removed rev code 0918.</p> <p>Anemia – removed CPT codes 85013 and 85014, added rev code 0306</p> <p>Aspirin Use to Prevent Preeclampsia – moved language regarding blood pressure measurements to new category HTN Disorders of Preg: Screening.</p> <p>Asymptomatic Bacteriuria – Pregnancy DX list updated, age updated to 10 years and older</p> <p>Breastfeeding – Added rev code 0515, 0761, 0769 to the counseling codes, added rev code 0942 to breast pump equipment</p> <p>HTN Disorders of Preg – new category created; language moved from Aspirin Use to Prevent Preeclampsia.</p> <p>Human Immunodeficiency Virus (HIV) – Added DX code Z29.81, removed DX codes Z20.5, Z11.59, added rev codes 0920, 0940, age updated to 10 years and older</p> <p>Prevention of Human Immunodeficiency Virus Preexposure Prophylaxis (PrEP) – Added DX code Z29.81, added</p> <p>HCPCS code J0739, removed rev code 0516</p> <p>Lead Screening – Removed DX code R78.71</p> <p>Lung CA Screening – Removed Z12.2, added rev code 0780</p>	Administrative Review
12/20/2023	<p>Hepatitis C Virus-Added CPT code 87520, 87521, 87522, 87902</p> <p>Prevention of Dental Caries- Added CPT code 0792T, added rev code 0761, 0769</p> <p>Rh (D) Incompatibility – Added rev codes 0302, 0305, 0390</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

3/20/2024	<p>Asymptomatic Bacteriuria in Adults- age update to 10 -999 Pregnancy Diagnosis Table: added codes O99.324, O99.335</p> <p>BRCA- Related Cancer: Risk Assessment, Genetic Counseling, and Genetic Testing - added CPT 81211, 81213, 81214.</p> <p>DX removed Z80.0, Z80.42, Z80.51, Z80.8 Z85.07, Z85.46, Z85.520, Z15.03, Z85.048, Z85.09</p> <p>DX added add Z71.83, Z78.0 and Z15.04</p> <p>REV codes 0302, 0319, 0760, 0761, 0769</p> <p>Fall Prevention in Community-Dwelling Older Adults: Interventions - added CPT G0151, G0157</p> <p>Added REVs 0420, 0421, 0422,0429, 0760, 0761, 0769, 0977 Screening for Hearing Loss in Newborn and Children- title change added “Newborn” added CPT 92558, 92650, 92587, 92588, V5008; removed CPT 92651, 92652, 92653 added DX codes Z00.110, Z00.111, Z00.121, Z00.129, P09.6 removed DX codes: Z01.10, Z01.118, Z13.5, Z82.2 added REV codes: 0760, 0761,0769.</p> <p>Hepatitis B Virus Infection in Adolescents and Adults:</p> <p>Screening- added CPT 87350, 86707, 80074, and 80076; removed CPT 80081; REV codes added 0305, 0522; DX codes added Z00.121, Z00.129</p> <p>Immunizations / Vaccines – added CPT codes 90380, 90381, 90671, 90679.</p> <p>Updated Name/codes for Preventive Vaccine Table</p> <p>Preventive Vaccine Administration table</p> <p>Added Covid Vaccine Code Table</p> <p>Added Covid Vaccine Administration table.</p>	Administrative Review
4/26/2024	<p>Healthful Diet-Added DX code E88.810</p> <p>Tobacco Smoking Cessation in Adults, Including Pregnant</p> <p>Women: Interventions combined with Tobacco Use in</p> <p>Children and Adolescents - Removed CPT codes 99401,99402,99403,99404. Removed HCPCS codes S4990, S4991, S4995. Removed DX codes Z00.00, Z00.01, Z01.411, Z01.419.</p> <p>Preventive Breast cancer- Medication for risk-Removed</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

	<p>CPT codes 99241,99242,99243,99244,99245. Added CPT codes 99384, 99385, 99386, 99387, 99394, 99395, 99396, 9939. Added DX codes Z86.000, D24.1, D24.2, D24.9, N60.01, N60.02, N60.09, N60.11, N60.12, N60.19, N60.21, N60.22, N60.29, N90.31, N60.32, N60.39, N6041, N60.42, N60.49, N60.81, N60.82, N60.89, N60.91, N60.92, N60.99. Added REV codes 0760, 0761, 0769.</p>	
5/29/2024	<p>Combined these three categories-Obesity in Children and Adolescents, Weight Loss to Preventive Obesity in Adults, Obesity Prevention in Midlife Woman Removed CPT codes- 99383, 99384, 99393, 99394, 99401, 99402, 99403, 99404. Removed Dx code Z00.121, Z00.129 Added DX code E66.01, E66.09, E66.1, E66.2, E66.3, Z68.1, Z68.20, Z68.21, Z68.22, Z68.23, Z68.24, Z68.25, Z68.26, Z68.27, Z68.28, Z68.29, Z68.30, Z68.31, Z68.32, Z68.33, Z68.34, Z68.35, Z68.36, Z68.37, Z68.38, Z68.39, Z68.41, Z68.42, Z68.43, Z68.44, Z68.45, Z68.54 Added REV codes 0760, 0761, 0769. Osteoporosis screening- Removed CPT codes 77078, 78350, 78351, 0554T, 0555T, 0557T, 0749T, 0750T. Added codes G0130. Unhealthy Drug Use-Added DX codes F11.10, F12.10, F13.10, F13.90, F15.90, F16.90 Removed DX codes- O99.324 and O99.325 Added procedure codes, G0396, G0397, G2011 Removed procedure codes 99401, 99402, 99403, 99404. Added REV codes 0760, 0761, 0769.</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

6/26/2024	<p>Anxiety/Depression-Update age 10-999 for Pregnancy DX List, 8-65 for all other codes and age 0-65 for 96127 (avoid dupe). Deleted codes 99202-99205, 99211-99215, 9938599397.</p> <p>Deleted DX codes Z00.00, Z00.01. Z01.411, Z01.419, Z91.51, Z92.52</p> <p>Added DX code Z13.30</p> <p>BRCA-Related Cancer: Risk Assessment, Genetic Counseling-Added codes 81211</p> <p>Added REV codes 0940, 0942, 0949</p> <p>Developmental/Autism-Added 96127 applicable procedure code for Behavioral/Social/Emotional Screening</p> <p>Added applicable ICD 10 diagnosis code for Behavioral/Social/Emotional Screening: Z13.41 and Z13.42</p> <p>Added applicable ICD 10 diagnosis codes for Autism and Developmental Screening: Z00.121, Z00.129, Z13.39, Z13.40, Z13.41, Z13.42 and Z13.39</p> <p>Deleted DX codes F88, F81.9, F89, G93.40, G93.9, R27.0, R27.8, R27.9, R62.0, R29.6, E29.898, R29.90, R29.91</p> <p>Added REV code 0780</p> <p>HIV/Prep-Added J3490, G0011, G0012, G0013</p> <p>Added REV codes 0250, 0636, 0760, 0761, 0769</p> <p>Prostate CA- Deleted REV code 0514 Added REV codes 0760, 0761, 0769, 0960, 0982, 0983</p> <p>Vision Screening-Deleted DX codes Z00.110, Z00.111, Z76.1, Z76.2, H53.001-H53.009.</p> <p>Added REV codes 0760, 0761, 0769, 0920, 0929</p> <p>Statin Use CVD-Deleted DX code Z13.6</p> <p>Deleted 83722</p> <p>Added REV code 0305, 0310, 0319</p>	Administrative Review
7/25/2024	<p>Obesity in Children-Title updated to reflect "Interventions for High Body Mass Index in Children and Adolescents" and added "with a high body mass index (BMI) (>95th percentile for age and sex)"</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women’s Preventive)]

8/8/2024	<p>Healthy Diet and Physical Activity for Cardiovascular-Deleted Pregnancy DX List for codes 99411, 99412 and G0446. Added codes 97802, 97803, 97804, added REV code 0760.</p> <p>STI/STD-Deleted codes 99384, 99385, 99386, 99387, 99394, 99395, 99396, 99397. Deleted DX codes Z00.00, Z00.01, Z00.121, Z00.129, Z01.411, Z01.419, Z11.3, Z11.4, Z11.59, Z11.8, Z11.9, Z20.5, Z20.2, Z20.6, Z20.9, Z72.51, Z72.52, Z72.53, Z71.7, Z72.89, Z77.21, Z77.9, Z86.19. Added DX codes Z70.0, Z70.1, Z70.2, Z70.3. Added REV codes 0760, 0761, 0769.</p> <p>Unhealthy Alcohol Use-Updated age from 12 to 10 years of age. Adolescent Alcohol and Substance Use-updated age from 12 to 10 years of age Unhealthy Drug Use-Updated age from 12 to 10 years of age. Deleted codes 99401, 99402, 99403, 99404, 99411, 99412. Added REV codes 0760, 0761, 0769. Deleted Pregnancy DX List and added DX codes O99.310, O99.311, O99.312, O99.313.</p>	Administrative Review
9-11-2024	<p>Perinatal Depression-Added codes 96156, 96158, 96159, 96164, 96165, 96167, 96168, 96170, 96171 Leaving age open, deleted Perinatal Depression DX Table and added DX codes Z34.00, Z34.01, Z34.02, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, Z39.2, Z86.59 to DX list, removed procedure code S3005, Added REV codes 0760, 0761, 0769, 0920, 0940, 0949 Smoking Cessation Children Adults Pregnant Woman Screening-Added REV codes 0760, 0761, 0769 BRCA- Added missing decimal for DX codes Z71.83 and Z78.0 Immunization-added codes 90624 and 90684 Intimate Partner Violence-updated the last three DX codes from letter A to Z (Z91.A58, Z91.A91, Z91.A98) Preventive Administration-Added Preventive “Vaccine” Administration “and Vaccine Counseling” code table and added code D1301 vaccine counseling code.</p>	Administrative Review

1B Preventive Health Services [Post USPSTF (Including Women's Preventive)]

The materials provided to you are guidelines used by this plan to authorize, modify, or deny care for persons with similar illness or conditions. Specific care and treatment may vary depending on individual need and the benefits covered under your contract. These Policies are subject to change as new information becomes available.