

HEDIS Provider Guide Cervical Cancer Screening (Pap Exam) (CCS)

Measure Description		Using Correct Billing Codes
The percentage of women 21 to 64 years of age who were screened for	Codes to Identify Cervical Cancer Screening	
cervical cancer using any of the following criteria: • Women 21 to 64 years of age who had a cervical cytology performed in the last 3 years	Description Cervical Cancer Screening	Codes CPT: 88141-88143, 88147, 88148, 88150,88152-88153, 88164-88167, 88174, 88175 HCPCS: G0123, G0124, G0141, G0143-G0145, G0147, G0148, P3000, P3001, Q0091
Women 30 to 64 years of age who had a cervical high-risk human	Codes to Identify HPV Screening	
 papillomavirus (hrHPV) testing performed within the last 5 years. Women 30-64 years of age who had a cervical cytology/high risk human papillomavirus (hrHPV) contesting within the last 5 years. 	Description HPV Screening	Codes CPT: 87624, 87625 HCPCS: G0476

Exclusions: Hysterectomy with no Residual Cervix

Description Codes

Absence of Cervix Diagnosis ICD10: Q51.5, Z90.710, Z90.712

Hysterectomy with **no** Residual Cervix

CPT: 51925, 56308, 57530, 57531, 57540, 57545, 57550, 57555, 57556, 58150, 58152, 58200, 58210, 58240, 58260, 58262, 58263, 58267, 58270, 58275, 58280, 58285, 58290-58294, 58548, 58550, 58552-58554, 58570-58573, 58575, 58951, 58953, 58954, 58956, 59135

ICD10: OUTCOZZ, OUTC4ZZ, OUTC7ZZ, OUTC8ZZ

How to Improve HEDIS® Scores

- Request a focused list of members who need a Pap test from your Blue Shield Promise Quality Program Manager.
- Use a reminder/recall system.
- Request Pap test results be sent to you if done at OB/GYN visit.
- Document in the medical record if the patient has had a hysterectomy with no residual cervix.
- Do not miss opportunities. For example, complete Pap tests during regularly scheduled well woman visits, sick visits, urine pregnancy tests, UTI and Chlamydia/STI screening.